

# Nui

Design Meneghello Paoletti Associati




Type:	Floor outdoor	
Lamps:	LED 14W, 3000K, CRI 90 available with: on/off LED remote driver (*) dimmable push/DALI remote driver (*) 696 lm	EEL: A+
Product use:	Outdoor	
Materials:	Structure: concrete Diffusor: PMMA Internal support stem: steel Optic: die-cast aluminium	
Colors:	Concrete grey	

Description: Balance, symbiosis and interaction: the crux of the design of the NUI collection of outdoor floor lamps lies in the relationship between two overlaid cylindrical volumes that interact in a dynamic of reciprocal completion. Parts of a single whole, these two volumes take on different, complementary roles.





Reference code:	A02TA1	1A020TA10028	base
	A02TA2	1A020TA20028	top cover
	A02LC1	1A020LC10000	optic + stem

**remote driver (\*)**  
(the junction box is recommended watertight IP68)  
D98/5 1D980/050000 independent on/off driver  
D94/1 1D940/100000 independent push/DALI driver



A02TA1 + A02TA2 + A02LC1



# Nui

Design Meneghello Paoletti Associati

**LUCE  
PLAN**

Type:	Floor outdoor	
Lamps:	LED 14W, 3000K, CRI 90 available with: on/off LED remote driver (*) dimnable push/DALI remote driver (*) 718 lm	EEL: A+
Product use:	Outdoor	
Materials:	Structure: concrete Diffusor: PMMA Internal support stem: steel Optic: die-cast aluminium	
Colors:	Concrete grey	

Description: Balance, symbiosis and interaction: the crux of the design of the NUI collection of outdoor floor lamps lies in the relationship between two overlaid cylindrical volumes that interact in a dynamic of reciprocal completion. Parts of a single whole, these two volumes take on different, complementary roles.



Reference code:

**structure**

A02TB1	1A020TB10028	base
A02TB2	1A020TB20028	top cover
A02LC1	1A020LC10000	optic + stem



**remote driver (\*)**

(the junction box is recommended watertight IP68)

D98/5	1D980/050000	independent on/off driver
D94/1	1D940/100000	independent push/DALI driver



A02TB1 + A02TB2 + A02LC1





# Nui

Design Meneghello Paoletti Associati

**LUCE  
PLAN**

Type:	Floor outdoor	
Lamps:	LED 14W, 3000K, CRI 90 available with: on/off LED remote driver (*) dimnable push/DALI remote driver (*) 639 lm	EEL: A+
Product use:	Outdoor	
Materials:	Structure: concrete Diffusor: PMMA Internal support stem: steel Optic: die-cast aluminium	
Colors:	Concrete grey	

Description: Balance, symbiosis and interaction: the crux of the design of the NUI collection of outdoor floor lamps lies in the relationship between two overlaid cylindrical volumes that interact in a dynamic of reciprocal completion. Parts of a single whole, these two volumes take on different, complementary roles.



Reference code:	A02TC1	1A020TC10028	base
	A02TC2	1A020TC20028	top cover
	A02LC1	1A020LC20000	optic + stem



**remote driver (\*)**

(the junction box is recommended watertight IP68)

D98/5	1D980/050000	independent on/off driver
D94/1	1D940/100000	independent push/DALI driver



A02TC1 + A02TC2 + A02LC2



# Nui

Design Meneghello Paoletti Associati



Type:	Floor/wall outdoor	
Lamps:	LED 11W, 3000K, CRI 90 available with: on/off LED remote driver (*) dimnable push/DALI remote driver (*) 389 lm	EEL: A+
Product use:	Outdoor	
Materials:	Structure: concrete Diffusor: PMMA Internal support stem: steel Optic: die-cast aluminium	
Colors:	Concrete grey	

Description: Balance, symbiosis and interaction: the crux of the design of the NUI floor or wall lamps lies in the relationship between two overlaid cylindrical volumes that interact in a dynamic of reciprocal completion. Parts of a single whole, these two volumes take on different, complementary roles.



Reference code: A02TD 1A020TD00028 complete version  
without drive

**remote driver (\*)**  
(the junction box is recommended watertight IP68)  
D98/5 1D980/050000 independent on/off driver  
D94/1 1D940/100000 independent push/DALI driver



A02TD

