

Luminaire


Code 0458020A
Name LOGICO PLAFONE 3X120° SETA

Measurerm.

Code FTS0002517
Name LOGICO PLAFONE 3X120° SETA

Luminaire Flux	4916.51 lm	Luminaire Power	105.00 W	Efficacy	46.82 lm/W	Efficiency	86.25%
Lamps Flux	5700.00 lm	Maximum value	118.80 cd/klm	Position	C=255.00 G=35.00	CG	Asymmetrical
Round Luminaire		Diam.	660 mm	Height	340 mm		
Round Luminous Area		Diam.	660 mm	Height	340 mm		
Horizontal Luminous Area	0.342119 m2			Emitting area on Plane 180°	0.224400 m2		
Emitting area on Plane 0°	0.224400 m2			Emitting area on Plane 270°	0.224400 m2		
Emitting area on Plane 90°	0.224400 m2			Glare area at 76°	0.300501 m2		
Coordinate system	CG			Symmetry Type	Asymmetrical		
Date	02-09-2002			Maximum Gamma Angle	180		
Measurement Distance	0.00			Measurement Flux	5700.00 lm		
64548 A ES FR							
C.I.E.	31 54 77 55 86			D DIN 5040	C21		
F UTE	0.48 H + 0.39 T			B NBN	BZ 7		


Diam=660mm



Semipiani C

180.0 ——— 0.0
270.0 - - - - 90.0

ULOR 38.54 %
DLOR 47.72 %
RN 44.68 %



Luminaire

Code 0458020A
Name LOGICO PLAFONE 3X120° SETA

Measurem.

Code FTS0002517
Name LOGICO PLAFONE 3X120° SETA

Luminaire Flux	4916.51 lm	Luminaire Power	105.00 W	Efficacy	46.82 lm/W	Efficiency	86.25%
Lamps Flux	5700.00 lm	Maximum value	118.80 cd/klm	Position	C=255.00 G=35.00	CG	Asymmetrical
Round Luminaire		Diam.	660 mm	Height	340 mm		
Round Luminous Area		Diam.	660 mm	Height	340 mm		
Horizontal Luminous Area		0.342119 m2		Emitting area on Plane 180°		0.224400 m2	
Emitting area on Plane 0°		0.224400 m2		Emitting area on Plane 270°		0.224400 m2	
Emitting area on Plane 90°		0.224400 m2		Glare area at 76°		0.300501 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		02-09-2002		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		5700.00 lm	
64548 A ES FR							
C.I.E.	31 54 77 55 86			D DIN 5040	C21		
F UTE	0.48 H + 0.39 T			B NBN	BZ 7		

Apertura a destra non trovata, gamma =-36

Apertura a destra non trovata, gamma =-36

Apertura a destra non trovata, gamma =-36

Luminaire

Code 0458020A
Name LOGICO PLAFONE 3X120° SETA

Measurement

Code FTS0002517
Name LOGICO PLAFONE 3X120° SETA

Luminaire Flux	4916.51 lm	Luminaire Power	105.00 W	Efficacy	46.82 lm/W	Efficiency	86.25%
Lamps Flux	5700.00 lm	Maximum value	118.80 cd/klm	Position	C=255.00 G=35.00	CG	Asymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	10.2	11.2	11.0	12.0	12.6	9.6	10.6	10.5	11.5	12.6
x=2H y=3H	13.1	14.0	14.0	14.9	15.2	12.3	13.2	13.2	14.1	15.2
x=2H y=4H	14.7	15.5	15.5	16.4	16.5	13.7	14.5	14.6	15.4	16.5
x=2H y=6H	16.2	17.0	17.1	17.9	17.9	15.1	15.9	16.0	16.8	17.9
x=2H y=8H	17.0	17.7	17.9	18.6	18.6	15.8	16.5	16.7	17.4	18.6
x=2H y=12H	17.7	18.4	18.6	19.3	19.3	16.5	17.2	17.4	18.1	19.3
x=4H y=2H	10.9	11.7	11.8	12.6	13.4	10.6	11.4	11.4	12.3	13.4
x=4H y=3H	14.0	14.7	14.9	15.6	16.1	13.3	14.0	14.2	15.0	16.1
x=4H y=4H	15.7	16.3	16.6	17.2	17.6	14.8	15.5	15.8	16.4	17.6
x=4H y=6H	17.4	18.0	18.3	18.9	19.2	16.4	17.0	17.3	17.9	19.2
x=4H y=8H	18.3	18.8	19.2	19.7	19.9	17.2	17.7	18.1	18.7	19.9
x=4H y=12H	19.1	19.6	20.0	20.5	20.7	18.0	18.5	18.9	19.4	20.7
x=8H y=4H	16.1	16.7	17.1	17.6	18.2	15.4	16.0	16.4	16.9	18.2
x=8H y=6H	18.0	18.5	19.0	19.5	19.9	17.2	17.6	18.2	18.6	19.9
x=8H y=8H	19.0	19.4	20.0	20.4	20.8	18.1	18.5	19.1	19.5	20.8
x=8H y=12H	20.0	20.3	21.0	21.3	21.7	19.1	19.4	20.1	20.4	21.7
x=12H y=4H	16.2	16.7	17.2	17.7	18.2	15.5	16.0	16.5	17.0	18.2
x=12H y=6H	18.2	18.6	19.2	19.6	20.1	17.4	17.8	18.4	18.8	20.1
x=12H y=8H	19.1	19.5	20.1	20.5	21.0	18.4	18.8	19.4	19.8	21.0