



2289/BI clochard

design orlandini design, 2013

Standing lamp, litte table, empty pockets, a nomad object, simply leaned to the wall. White or black lacquered metal structure, resin plane. LED light source integratd and electronic driver on the plug included.

2289/BI clochard

| | | | |
|-----------------|--|-----------------|---|
| family: | clochard | Body Color: | <input type="radio"/> other available colors <input checked="" type="radio"/> |
| Designers: | Orlandini Design | Body Materials: | aluminium |
| Utilization: | indoor | | |
| Typology: | floor lamps | | |
| Certifications: | | | |
| Market: | This item is available in the following countries: EUROPE | | |

Dimensions

| | | | |
|-----------|-------|----------------|------|
| Width: | 29 cm | Hole Diameter: | - |
| Height: | 98 cm | Hole Depth: | - |
| Length: | 36 cm | Net weight: | 4 Kg |
| Depth: | - | | |
| Diameter: | - | | |

Light Source


| | |
|----------------|--------|
| Watt: | 3W |
| Lumen: | 300 lm |
| Light Source: | led |
| CRI: | >90 |
| duration: | 50000 |
| CCT: | 3000K |
| Energy degree: | A++ |

Device Specifications

| | | | | | |
|-------------------|--------|---------------------|-----------|------------------------|-------------------------------|
| Type of emission: | direct | Power cable length: | 50+200 cm | Driver: | included |
| Power: | 3W | Steel cable length: | - | Power supply assembly: | external |
| Light output: | 172lm | Glow Wire Test: | - | Power supply: | electronic driver on the plug |
| Beam angle: | - | Impact Resistance: | - | Type of dimming: | - |
| | | | | Voltage: | 230V |



technical drawing




Dimensions

Width: 29 cm
Height: 98 cm
Length: 36 cm
Depth: -
Diameter: -

Hole Diameter: -
Hole Depth: -
Net weight: 4 Kg

photometrics data





clochard 2289/BI
design orlandini design, 2013



