

Luminaire


Code 0453020A
Name LOGICO SOSPENSIONE SINGOLO SETA LUCIDO

Measurerm.

Code FTS0002513
Name LOGICO SOSPENSIONE SINGOLO SETA LUCIDO

Luminaire Flux	1638.84 lm	Luminaire Power	105.00 W	Efficacy	15.61 lm/W	Efficiency	86.25%
Lamps Flux	1900.00 lm	Maximum value	118.80 cd/klm	Position	C=255.00 G=35.00	CG	Asymmetrical
Round Luminaire		Diam.	400 mm	Height	340 mm		
Round Luminous Area		Diam.	400 mm	Height	340 mm		
Horizontal Luminous Area		0.125664 m2		Emitting area on Plane 180°		0.136000 m2	
Emitting area on Plane 0°		0.136000 m2		Emitting area on Plane 270°		0.136000 m2	
Emitting area on Plane 90°		0.136000 m2		Glare area at 76°		0.162361 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		02-09-2002		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1900.00 lm	
64548 A ES FR							
C.I.E.	31 54 77 55 86			D DIN 5040	C21		
F UTE	0.48 H + 0.39 T			B NBN	BZ 7		


Diam=400mm



Semipiani C

180.0 ——— 0.0
270.0 - - - - - 90.0

ULOR 38.54 %
DLOR 47.72 %
RN 44.68 %



Luminaire							
Code	0453020A						
Name	LOGICO SOSPENSIONE SINGOLO SETA LUCIDO						
Measurem.							
Code	FTS0002513						
Name	LOGICO SOSPENSIONE SINGOLO SETA LUCIDO						
Luminaire Flux	1638.84 lm	Luminaire Power	105.00 W	Efficacy	15.61 lm/W	Efficiency	86.25%
Lamps Flux	1900.00 lm	Maximum value	118.80 cd/klm	Position	C=255.00 G=35.00	CG	Asymmetrical
Round Luminaire		Diam.	400 mm	Height	340 mm		
Round Luminous Area		Diam.	400 mm	Height	340 mm		
Horizontal Luminous Area		0.125664 m2		Emitting area on Plane 180°		0.136000 m2	
Emitting area on Plane 0°		0.136000 m2		Emitting area on Plane 270°		0.136000 m2	
Emitting area on Plane 90°		0.136000 m2		Glare area at 76°		0.162361 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		02-09-2002		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1900.00 lm	
64548 A ES FR							
C.I.E.	31 54 77 55 86			D DIN 5040	C21		
F UTE	0.48 H + 0.39 T			B NBN	BZ 7		

Apertura a destra non trovata, gamma =-36

Apertura a destra non trovata, gamma =-36

Apertura a destra non trovata, gamma =-36

Luminaire

Code 0453020A
Name LOGICO SOSPENSIONE SINGOLO SETA LUCIDO

Measurement

Code FTS0002513
Name LOGICO SOSPENSIONE SINGOLO SETA LUCIDO

Luminaire Flux	1638.84 lm	Luminaire Power	105.00 W	Efficacy	15.61 lm/W	Efficiency	86.25%
Lamps Flux	1900.00 lm	Maximum value	118.80 cd/klm	Position	C=255.00 G=35.00	CG	Asymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	8.9	9.8	9.7	10.7	11.3	8.3	9.3	9.2	10.2	11.3
x=2H y=3H	11.7	12.6	12.5	13.4	13.8	10.9	11.7	11.7	12.6	13.8
x=2H y=4H	13.1	14.0	14.0	14.9	15.0	12.2	13.0	13.1	13.9	15.0
x=2H y=6H	14.6	15.4	15.5	16.3	16.3	13.5	14.3	14.4	15.2	16.3
x=2H y=8H	15.3	16.1	16.2	17.0	17.0	14.2	14.9	15.1	15.8	17.0
x=2H y=12H	16.0	16.7	16.9	17.6	17.6	14.8	15.5	15.7	16.4	17.6
x=4H y=2H	9.5	10.4	10.4	11.3	12.1	9.2	10.0	10.1	10.9	12.1
x=4H y=3H	12.5	13.2	13.4	14.1	14.7	11.9	12.6	12.8	13.5	14.7
x=4H y=4H	14.1	14.8	15.1	15.7	16.1	13.3	14.0	14.2	14.9	16.1
x=4H y=6H	15.8	16.3	16.7	17.3	17.5	14.8	15.4	15.7	16.3	17.5
x=4H y=8H	16.6	17.1	17.5	18.1	18.3	15.5	16.1	16.5	17.0	18.3
x=4H y=12H	17.4	17.9	18.3	18.8	19.0	16.3	16.7	17.2	17.7	19.0
x=8H y=4H	14.6	15.1	15.5	16.1	16.6	13.9	14.4	14.8	15.4	16.6
x=8H y=6H	16.4	16.9	17.4	17.8	18.2	15.5	16.0	16.5	17.0	18.2
x=8H y=8H	17.3	17.7	18.3	18.7	19.1	16.4	16.8	17.4	17.8	19.1
x=8H y=12H	18.2	18.6	19.2	19.6	20.0	17.3	17.7	18.3	18.7	20.0
x=12H y=4H	14.7	15.1	15.6	16.1	16.7	14.0	14.5	14.9	15.4	16.7
x=12H y=6H	16.5	16.9	17.5	17.9	18.4	15.7	16.1	16.7	17.1	18.4
x=12H y=8H	17.4	17.8	18.4	18.8	19.3	16.7	17.1	17.7	18.1	19.3