

DESIGN BY HAY

HAY

COMMON CORD SET

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection
- A flexible lighting accessory designed to be used with a standard LED E27 bulb
- Available in two variants – a table and pendant cord set
- The table variant is available in black and white, and the pendant comes in a variety of different colours
- The cord sets can be combined with various non-electrical HAY shades
- CE approved
- Suitable for both private and office environments
- For indoor use only



COMMON CORD SET DESIGN BY HAY

The Common Cord Set is a versatile cord set with components in matching colours. Available in two variants – for pendants and table lamps – the cord set is compatible with numerous HAY shades and can also be used alone with an E27 bulb. Both models are available in numerous colour options to create a functional and colourful lighting solution. Please note that bulbs are not included.



Common Table Cord Set



COMMON PENDANT CORD SET

MATERIALS

BULB HOLDER
Injection moulded PBT, PC

CANOPY
Injection moulded ABS

CEILLING BRACKET
Bend sheet metal, machined cord grip

PRODUCT INFORMATION

DESIGN YEAR
2024


COUNTRY OF ORIGIN
China

COLOUR & FINISH

Please note that the colours are indicative

 Soft black	 Clay white	 Beton grey	 Rusty red
 Garden green	 Amber yellow	 Pastel lilac	 Anthracite blue

DIMENSIONS



Diameter 12 cm
Cord length 400 cm
Height 6 cm
Weight 0,45 kg



COMMON TABLE CORD SET

MATERIALS

BULB HOLDER
Injection moulded PBT, PC

SWITCH
Injection moulded ABS

PRODUCT INFORMATION

DESIGN YEAR
2024

COUNTRY OF ORIGIN
China

OPTIONS
UK plug

COLOUR & FINISH

Please note that the colours are indicative

Soft black

Clay white


Garden green

Beton grey

Rusty red

Anthracite blue

DIMENSIONS



Bulb holder diameter 4,5 cm
Bulb holder height 6,5 cm
Cord length 240 cm
Weight 0,2 kg



TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE
LED E27 (A19), 10-15W, 1000-1500lm, 2700-3000K warm white
Bulb not included
DIMMABLE
No
POWER SUPPLY
220-240V AC at 50/60Hz
IP
20
CORD LENGTH
240 cm (Table Cord Set)
400 cm (Pendant Cord Set)
SWITCH
Inline switch (Table Cord Set)
No (Pendant Cord Set)

TEST SPECIFICATION OUTPUTS

The test specification is based on using the recommended LED bulb fitted in the production luminaire.
LUMEN (LM)
1000-1500lm
KELVIN (CCT)
2700-3000K warm white
CRI (1-100)
Depends on bulb (>80)

SUGGESTED COLOUR COMBINATIONS

SHADES		Bonbon 310 Petit blue	Bonbon 320 Grey melange	Bonbon 320 Yellow melange	Bonbon 380 Ice cream	Bonbon 380 City	Bonbon 500 Earth tones	Bonbon 500 Blue tones	Bonbon 500 Lavender	Arcs Mirror	Arcs Sea green	Arcs Auburn red	Arcs Cobalt blue	Apollo Table Lamp	Paper Shade Ø50	Paper Shade Ø60	Paper Shade Ø80	Paper Shade Oblong	Paper Shade Ellipse	Paper Shade Floor	30 Degrees Small	30 Degrees Medium	30 Degrees Large
PENDANT CORD SET																							
Clay white		•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•
Soft black		•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•
Beton grey		•	•		•	•	•	•		•	•	•	•		•	•	•	•	•		•	•	•
Rusty red		•	•		•	•	•			•		•			•	•	•	•	•		•	•	•
Garden green										•					•	•	•	•	•				
Anthracite blue		•	•				•	•	•	•			•		•	•	•	•	•		•	•	•
Amber yellow			•	•	•	•	•			•					•	•	•	•	•		•	•	•
Pastel lilac		•			•			•	•	•					•	•	•	•	•				


TABLE CORD SET

Clay white		•	•	•	•	•	•	•	•	•	•	•	•	•						•			
Soft black		•	•	•	•	•	•	•	•	•	•	•	•	•						•			
Beton grey		•	•		•	•	•	•		•	•	•	•	•						•			
Rusty red		•	•		•	•	•			•		•		•						•			
Garden green										•				•						•			
Anthracite blue		•	•				•	•	•	•			•	•						•			

CERTIFICATES

ETL APPROVED
This product has been assessed and complies with the essential requirements of the certificate.

CE APPROVED
This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including.

- EN 60598-2-4 (portable luminaires)
- EN IEC 60598-1+A11 (general requirements)
- EN 62493:2015+A1 (human exposure to EMC)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.
[LINK TO DIGITAL LIBRARY](#)

