




LINEAL

GABRIEL
TEIXIDÓ
2012



LINEAL

GABRIEL
TEIXIDÓ
2012



LINEAL



CARPYEN
BARCELONA SINCE 1948

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com


LINEAL

Materiales / Materials
Matériaux / Matters


Aluminio / Aluminum
Aluminium / Aluminium

Cable ajustable en acero inoxidable de 2,5 m (98.4") de largo / Adjustable inox steel cable up to 2,5 m (98.4") length / Câble ajustable en acier inoxydable de 2,5 m (98.4") de long / Einstelbare Kabel aus Edelstahl bis 2,5 m (98.4") lange

Acabados / Finishes
Finitions / Ausführung



Blanco
White
Blanc
Weiss



Níquel mate
Matt nickel
Nickel mat
Nickel matt



Negro
Black
Noir
Schwarz

LED

LED 2700 K CRI 80





Ángulo de apertura 120°
120° lighting angle
Angle d'ouverture 120°
Abstrahlwinkel 120°

110 cm / 43.3": 19 W,
2180 Lumen
158 cm / 62.2": 28 W,
3325 Lumen
182 cm / 71.6": 31 W,
3670 Lumen



Medidas / Measures
Measurements / Mittengun

110 cm / 43.3"
158 cm / 62.2"
182 cm / 71.6"




CARPYEN
BARCELONA SINCE 1948

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL

GABRIEL
TEIXIDÓ
2016



LINEAL



CARPYEN
BARCELONA SINCE 1948

Carpyllum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com


LINEAL


Materiales / Materials
Matériaux / Matters

Aluminio / Aluminum
Aluminium / Aluminium

Acabados / Finishes
Finitions / Ausführung

 Blanco
White
Blanc
Weiss


 Níquel mate
Matt nickel
Nickel mat
Nickel matt

 Negro
Black
Noir
Schwarz




LED

20 W 2400 Lumen 2700 K
CRI 80

Equipado con interruptor
Equipped with switch
Equipé d'un interrupteur
Mit Schalter



Medidas / Measures
Measurements / Mittengun




LINEAL_BIBLO

GABRIEL
TEIXIDÓ
2012



LINEAL_BIBLIO



CARPYEN
BARCELONA SINCE 1948

Carpyellum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL_BIBLIO



Materiales / Materials
Matériaux / Matters

Acabados / Finishes
Finitions / Ausführung

LED

Aluminio / Aluminum
Aluminium / Aluminium

Fijación a la mesa mediante
dos arandelas tipo sándwich
Fix table system with two
sandwich rings
Fixation sur la table
Befestigung an den Tisch mit
zwei Ringe Tipus sandwich



LED 2700 K CRI 80

Ángulo de apertura 120°
120° lighting angle
Angle d'ouverture 120°
Abstrahlwinkel 120°



110 cm / 43.3":
14 W, 1500 Lumen
158 cm / 62.2":
23 W, 2590 Lumen
182 cm / 71.6":
27 W, 3025 Lumen



Medidas / Measures
Measurements / Mittengun

110 cm / 43.3"
158 cm / 62.2"
182 cm / 71.6"

Equipado con interruptor
Equipped with switch
Equipé d'un interrupteur
Mit Schalter




CARPYEN
BARCELONA SINCE 1948

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL

GABRIEL
TEIXIDÓ
2012



LINEAL



CARPYEN
BARCELONA SINCE 1948

Caryellum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL

Materiales / Materials
Matériaux / Matters

Acabados / Finishes
Finitions / Ausführung


LED

Aluminio / Aluminum
Aluminium / Aluminium

Emisión de luz directa o indirecta / Direct or indirect lighting / Eclairage direct ou indirect / Direkte oder indirekte Beleuchtung



Blanco
White
Blanc
Weiss



Níquel mate
Matt nickel
Nickel mat
Nickel matt



Negro
Black
Noir
Schwarz

LED 2700 K CRI 80

Ángulo de apertura 120°
120° lighting angle
Angle d'ouverture de 120°
Abstrahlwinkel 120°

40 cm / 15.7": 7 W,
803 Lumen
62 cm / 24.4": 11 W,
1262 Lumen
86 cm / 33.8": 16 W,
1836 Lumen
110 cm / 43.3": 21 W,
2410 Lumen



Medidas / Measures
Measurements / Mittengung

40 cm / 15.7"
62 cm / 24.4"
86 cm / 33.8"
110 cm / 43.3"

40 cm / 15.7"


16 cm / 6.3"



10 cm / 3.9"

62 cm / 24.4"


16 cm / 6.3"



10 cm / 3.9"

86 cm / 33.8"


21 cm / 8.2"




10 cm / 3.9"

110 cm / 43.3"

21 cm / 8.2"



10 cm / 3.9"



CARPYEN
BARCELONA SINCE 1948

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com