807/J/NE **elica**

design brian sironi, 2009

Table lamp with adjustable direct light, structure in white lacquered aluminium. On the occasion of the 10th anniversary of its production, Elica is available in the new brilliant black color version. The lamp lights up and switech off by the rotation of its arm. LED light source integrated. Electronic driver on the plug. Available in two sizes.

Designed by Brian Sironi in 2009. The movement creates light, by rotating the arm ELICA does not lift from the surface but lights on and off, there are no switches that can alterate the harmony of its form, it is an helix of pure light as a fun game takes flight to the imagination and fantasy.

Awards:
- Compasso d'oro 2011
- Red Dot Design Award 2011
- ADI Design Index 2010
- Honourable Mention I.D. Annual Design Review 2010
- German Designpreis Nominee 2011
- iF GOLD Award 2010
- 2010 Good Design Award
- "Design dello Stupore" Young&Design 2009

2011   2011   2010   2010

807/J/NE **elica**

family:	elica	Body Color:	● other available colors ○
Designers:	Brian Sironi	Diffuser Color:	○
Utilization:	indoor	Body Materials:	aluminium
Typology:	table lamps		
Certifications:	IP40 CE [SK] [F] □		
Market:	This item is available in the following countries: EUROPE		

Dimensions

Width:	-	Hole Diameter:	-
Height:	38 cm	Hole Depth:	-
Length:	60 cm	Net weight:	4,5 Kg
Depth:	-		
Diameter:	-		

Light Source

Watt:	9W
Lumen:	720 lm
Light Source:	led
CRI:	>90
duration:	50000
CCT:	3000K
Energy degree:	A++

Device Specifications

Type of emission:	direct	Power cable length:	195 cm	Driver:	included
Power:	-	Steel cable length:	-	Power supply assembly:	external
Light output:	-	Glow Wire Test:	-	Power supply:	electronic driver on the plug
Beam angle:	-	Impact Resistance:	-	Type of dimming:	-
				Voltage:	230V

technical drawing

Dimensions

Width: -
Height: 38 cm
Length: 60 cm
Depth: -
Diameter: -

Hole Diameter: -
Hole Depth: -
Net weight: 4,5 Kg

photometrics data

807/BI ELICA

150° 180° 150°
320
120°
240
160
80
90°
60°
30° 0° 30°

Imax 364 cd/klm   α 111°   β 111°

26W 0K LED

h (m)	Ø	Em (lux)
h1	2.9/2.9	75
h2	5.8/5.8	19
h3	8.7/8.7	8
h4	11.6/11.6	5
h5	14.5/14.5	3

807/J/BI ELICA

150° 180° 150°
320
120°
240
160
80
90°
60°
30° 0° 30°

Imax 366 cd/klm   α 110°   β 110°

9W 3000K LED

h (m)	Ø	Em (lux)
h1	2.9/2.9	49
h2	5.7/5.7	12
h3	8.6/8.6	5
h4	11.5/11.4	3
h5	14.3/14.3	2

info@martinelliluce.it   **martinelliluce.it**

elica 807/J/NE
design brian sironi, 2009