

Luminaire

Code 1700010A
Name METEORITE 35 tavolo

Measurerm.

Code FTS1400358
Name METEORITE 35 tavolo

Luminaire Flux	1722.75 lm	Luminaire Power	150.00 W	Efficacy	11.48 lm/W	Efficiency	71.78%
Lamps Flux	2400.00 lm	Maximum value	63.68 cd/klm	Position	C=0.00 G=71.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	360 mm 360 mm	Height Height	300 mm 360 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.101788 m2 0.129600 m2 0.129600 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.129600 m2 0.129600 m2 0.150375 m2	
Coordinate system Date Measurement Distance		CG 22-07-2014 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 180 2400.00 lm	
OSRAM							
C.I.E. F UTE	21 47 74 52 72 0.38 J + 0.34 T			D DIN 5040 B NBN		C11 BZ 9 / 2.5 / BZ 8 / 3 / BZ 9	


Diam=360mm



Semipiani C

180.0 ——— 0.0

ULOR 34.19 %
DLOR 37.59 %
RN 47.63 %



Luminaire

Code 1700010A
Name METEORITE 35 tavolo

Measurem.

Code FTS1400358
Name METEORITE 35 tavolo

Luminaire Flux	1722.75 lm	Luminaire Power	150.00 W	Efficacy	11.48 lm/W	Efficiency	71.78%
Lamps Flux	2400.00 lm	Maximum value	63.68 cd/klm	Position	C=0.00 G=71.00	CG	Rotosymmetrical
Round Luminaire		Diam.	360 mm	Height	300 mm		
Round Luminous Area		Diam.	360 mm	Height	360 mm		
Horizontal Luminous Area		0.101788 m2		Emitting area on Plane 180°		0.129600 m2	
Emitting area on Plane 0°		0.129600 m2		Emitting area on Plane 270°		0.129600 m2	
Emitting area on Plane 90°		0.129600 m2		Glare area at 76°		0.150375 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		22-07-2014		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		2400.00 lm	
OSRAM							
C.I.E.	21 47 74 52 72			D DIN 5040	C11		
F UTE	0.38 J + 0.34 T			B NBN	BZ 9 / 2.5 / BZ 8 / 3 / BZ 9		

Apertura a destra non trovata, gamma =71

Apertura a destra non trovata, gamma =71