









ENDURA® STYLE SOLAR WALL SENSOR DOUBLE CIRCLE




| | EAN | W | lm | K | IP | °C | V _{DC} max. |  |
|----------------------------------|---------------|---|-----|------|----|-----------|----------------------|--|
| ENDURA STYLE SOL WALL2CIRCLE6WST | 4099854455384 | 6 | 400 | 3000 | 44 | -20...+40 | 3.2 | 12500 |
| ENDURA STYLE SOL WALL2CIRCLE6WBK | 4099854455506 | 6 | 400 | 3000 | 44 | -20...+40 | 3.2 | 12500 |

ENDURA® STYLE SOLAR WALL SENSOR DOUBLE CIRCLE



SOLAR WALL SENSOR DOUBLE CIRCLE


5 Mode 1



200lm

1. Press for 3s


2. Press for 1s



ON

OFF


6 Mode 2



300lm
15s

75lm
15s


Mode 3



400lm
15s

OFF

7



2m

90°

max. 6m

LUX

ON


0-50 lux

LUX

OFF

50-100 lux

8 Charging




In shade will not charge fully

8h

min. 8h
(sunshine > 30000 lux)

9



+40°

-20°



Points de collecte sur www.quefairedemesdechets.fr

G11219129
11.02.2025



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom