








## SMART<sup>+</sup> WIFI ORBIS DOWNLIGHT





	EAN	W	lm	K	IP	Temp (°C)	V~	mA	Hz	DF
SMART WIFI ORBIS DL SF RD200 TW WT	4058075572911	12	900	3000-6500	20	-20...+40	220-240	60	50/60	≥0.7
SMART WIFI ORBIS DL SF RD400 TW WT	4058075572935	22	1800	3000-6500	20	-20...+40	220-240	110	50/60	≥0.7
SMART WIFI ORBIS DL SF RD600 TW WT	4058075572959	30	2500	3000-6500	20	-20...+40	220-240	140	50/60	≥0.9



1x  **430g**  
 4058075572911

2x  2x 


---

1x  **1270g**  
 4058075572935

1x  **2760g**  
 4058075572959



4x  4x 

mm



	l	ø [mm]
ORBIS DL SF RD200 TW WT	40	200
ORBIS DL SF RD400 TW WT	40	400
ORBIS DL SF RD600 TW WT	40	600



1


ON ON ON  
OFF OFF OFF

↑ ON  
↓ OFF


2













3



4





	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SMART WIFI ORBIS DL SF RD200 TW WT	4058075572911	E	
SMART WIFI ORBIS DL SF RD400 TW WT	4058075572935	E	
SMART WIFI ORBIS DL SF RD600 TW WT	4058075572959	E	



C10449057  
G11117433  
10.06.2021



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)