

SAFETY WARNINGS

Installation should only be undertaken by a qualified electrical engineer. If using the connector block provided this will need to be inserted into the wall void. To remove the outer backplate, simply unscrew and detach flat plate from wall bracket.

The light source contained in this luminaire is integrated and shall only be replaced by the manufacturer or his service agent or a similar qualified person.

L'installation du luminaire doit se faire par un ingénieur électricien agréé. La source lumineuse contenue dans ce luminaire est intégrée et ne peut être remplacé que par le fabricant ou un de ses agents de service ou une personne qualifiée.

La instalación sólo debe ser realizada por un electricista calificado.

La fuente de luz incluida en esta luminaria está integrada y sólo debe ser sustituida por el fabricante o su agente de servicio o una persona cualificada similar.

L'installazione deve essere eseguita solo da un elettricista qualificato. La sorgente luminosa contenuta in questo apparecchio è integrata e deve essere sostituita solo dal produttore o dal suo agente di servizio o da una persona qualificata simile.

Die Installation darf nur von einem Elektrofachmann durchgeführt werden.

Die in dieser Leuchte enthaltene Lichtquelle ist integriert und darf nur durch den Hersteller oder seinen Kundendienst oder eine ähnlich qualifizierte Person ersetzt werden.

Монтаж должен выполняться только квалифицированным электриком. Источник света, содержащийся в этом светильнике, интегрирован и заменяется только изготовителем или его сервисным агентом или аналогичным квалифицированным персоналом.

TECHNICAL INFORMATION

Cobra & Cobra Nude - Integrated LED Source, CREE LED, chip life 40,000 hours
2.5W, 200lm, 3000-3500K, CRI (Ra) 80
Beam Angle 160°
Universal Driver, USB Charger 5V 1.2 mA , touch Dimmer Switch
Cosmetic Flat plate optional for EU

CLEANING AND CARE


Switch off the luminaire before cleaning.
To dust, use a non-abrasive cloth.

Cobra - If further cleaning is needed, wipe leather with a damp cloth using a mild soap. Avoid soaking. Avoid excessive heat and direct sunlight as these will dry the leather.


Our continually updated product documentation can be accessed at www.innermost.net




innermost
COBRA WC0781XX-XX



This luminaire is compatible with bulbs of the energy classes:



This lamp cannot be changed in the luminaire.

874/2012 



For further information, please contact: info@innermost.net


www.innermost.net

OXO Tower Wharf Bargehouse Street
London, SE1 9PH

ITG004.04.02

Cobra

by Innermost



Cobra

Cobra Nude

INSTALLATION GUIDE FOR :

Cobra - 90 cm EU/UK

Cobra Nude - 45cm EU/UK

White - WC07819001
Brown - WC07819010

White - WC07813501
Black - WC07813502


innermost[®]



Cobra

by Innermost

innermost

INSTALLATION TEMPLATE FOR:
COBRA 90 CM UK/EU - WC078190XX
COBRA NUDE 45 CM UK/EU - WC078135XX







Cobra

by Innermost

220-240v . EU Installation

Cobra Nude 45 cm - Class 1 Ⓟ

innermost®



COBRA 90cm UK/EU - WC078190XX
COBRA NUDE 45cm UK/EU - WC078135XX