

Struttura in metallo verniciato con pendagli.


Painted metal frame with pendants.

Gestell aus lackiertem Metall mit Behang.

Structure en métal verni avec pampilles.

**МЕТАЛЛИЧЕСКИЙ ОКРАШЕННЫЙ КАРКАС С ПОДВЕСКАМИ.**


### Standard finishings



**V95** Matt white frame cold pendants




**F01** Gold leaf frame amber pendants




**F02** Silver leaf frame transparent pendants




**F03** Copper leaf frame copper pendants



**V30** Oxide red frame cold pendants



**V50** Blue navy frame amber pendants



**V83** Matt bronze frame warm pendants



**G01** Burnished frame amber pendants



**V90** Matt black frame smoky pendants

### Standard pendants



Transparent



Cold



Amber



Copper



Warm



Smoky

### Family

#### Suspension




#### Ceiling



#### Applique




#### Table lamp




#### Floor lamp



### Standard cables for all suspensions



## OLÀ S12 120




Ø 120 cm / 47.24"  
H 20 cm / 7.87"

☉ 12×E27×60 W max  
USA 12×E26×60 W max  
(not included)

UP LED x 13 W CRI>90  
3000 K - 2050 Nominal lm  
DOWN LED x 51,2 W CRI>90  
3000 K - 8200 Nominal lm  
Dimmable: 1-10V + PUSH

## OLÀ S6 90




Ø 90 cm / 35.50"  
H 20 cm / 7.87"

☉ 8×E27×60 W max  
USA 8×E26×60 W max  
(not included)

UP LED x 11 W CRI>90  
3000 K - 1524 Nominal lm  
DOWN LED x 33 W CRI>90  
3000 K - 4572 Nominal lm  
Dimmable: 1-10V + PUSH + DALI

## OLÀ S6 60




Ø 60 cm / 23.70"  
H 20 cm / 7.87"

☉ 6×E27×60 W max  
USA 6×E26×60 W max  
(not included)

UP LED x 9,6 W CRI>90  
3000 K - 1306 Nominal lm  
DOWN LED x 28,8 W CRI>90  
3000 K - 3918 Nominal lm  
Dimmable: 1-10V + PUSH + DALI

## OLÀ S6 40




Ø 40 cm / 15.74"  
H 20 cm / 7.87"

☉ 6×E14×40 W max  
USA 6×E12×40 W max  
(not included)

UP LED x 11 W CRI>90  
3000 K - 1700 Nominal lm  
DOWN LED x 11 W CRI>90  
3000 K - 1700 Nominal lm  
Dimmable: 1-10V + PUSH + DALI

## OLÀ S2 15




Ø 15 cm / 5.90"  
H 26 cm / 10.23"

☉ 2×G9×40 W max  
USA 1×E12×40 W max  
(not included)

DOWN LED x 8,5 W CRI>90  
3000 K - 1170 Nominal lm  
Dimmable: TRIAC

## OLÀ S8 OV 210




L 210 cm / 82.67"  
SP 20 cm / 7.87"  
H 20 cm / 7.87"

☉ 8×E14×40 W max  
USA 8×E12×40 W max  
(not included)

UP LED x 18,6 W CRI>90  
3000 K - 2800 Nominal lm  
DOWN LED x 55,8 W CRI>90  
3000 K - 8400 Nominal lm  
Dimmable: PUSH + DALI

## OLÀ S6 OV 160




L 160 cm / 63.00"  
SP 14 cm / 5.50"  
H 20 cm / 7.87"

☉ 6×E14×40 W max  
USA 6×E12×40 W max  
(not included)

UP LED x 18 W CRI>90  
3000 K - 2670 Nominal lm  
DOWN LED x 44,5 W CRI>90  
3000 K - 6675 Nominal lm  
Dimmable: PUSH + DALI

## OLÀ S4 OV 100




L 100 cm / 39.37"  
SP 13 cm / 5.12"  
H 20 cm / 7.87"

☉ 4×E14×40 W max  
USA 4×E12×40 W max  
(not included)

UP LED x 8,2 W CRI>90  
3000 K - 1225 Nominal lm  
DOWN LED x 24,6 W CRI>90  
3000 K - 3675 Nominal lm  
Dimmable: PUSH + 1-10V

## OLÀ S2 OV 50




L 50 cm / 19.69"  
SP 8 cm / 3.14"  
H 18 cm / 7.09"

☉ 2×E27×60 W max  
USA 2×E26×60 W max  
(not included)

UP LED x 8,3 W CRI>90  
3000 K - 1285 Nominal lm  
DOWN LED x 8,3 W CRI>90  
3000 K - 1285 Nominal lm  
Dimmable: PUSH + 1-10V

## OLÀ S1 OV 30




L 30 cm / 11.81"  
SP 7 cm / 2.75"  
H 18 cm / 7.09"

☉ 1×R7s 78 mm×150 W max  
USA 1×E12×40 W max  
(not included)

UP LED x 5,8 W CRI>90  
3000 K - 800 Nominal lm  
DOWN LED x 5,8 W CRI>90  
3000 K - 800 Nominal lm  
Dimmable: PUSH + 1-10V

## OLÀ C3 LN 75




**L** 75 cm / 29.52"  
**SP** 20 cm / 7.87"  
**H max** 180 cm / 70.86"

**6** × G9×40 W max  
**USA** 3 × E12×40 W max  
*(not included)*

**DOWN** LED x 24 W CRI>90  
 3000 K - 3510 Nominal lm  
**Dimmable:** 1-10V + PUSH

## OLÀ C5 LN 125




**L** 125 cm / 49.21"  
**SP** 20 cm / 7.87"  
**H max** 180 cm / 70.86"

**10** × G9×40 W max  
**USA** 5 × E12×40 W max  
*(not included)*

**DOWN** LED x 40 W CRI>90  
 3000 K - 5850 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

## OLÀ C7 LN 175




**L** 175 cm / 68.89"  
**SP** 20 cm / 7.87"  
**H max** 180 cm / 70.86"

**14** × G9×40 W max  
**USA** 7 × E12×40 W max  
*(not included)*

**DOWN** LED x 49 W CRI>90  
 3000 K - 7140 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

## OLÀ C3 RD 40




**Ø** 40 cm / 15.74"  
**H max** 180 cm / 70.86"

**6** × G9×40 W max  
**USA** 3 × E12×40 W max  
*(not included)*

**DOWN** LED x 24 W CRI>90  
 3000 K - 3510 Nominal lm  
**Dimmable:** 1-10V + PUSH

## OLÀ C5 RD 60




**Ø** 60 cm / 23.62"  
**H max** 180 cm / 70.86"

**10** × G9×40 W max  
**USA** 5 × E12×40 W max  
*(not included)*

**DOWN** LED x 40 W CRI>90  
 3000 K - 5850 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

## OLÀ C7 RD 80




**Ø** 80 cm / 31.49"  
**H max** 180 cm / 70.86"

**14** × G9×40 W max  
**USA** 7 × E12×40 W max  
*(not included)*

**DOWN** LED x 49 W CRI>90  
 3000 K - 7140 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

**OLÀ PL12 120**




**Ø** 120 cm / 47.24"  
**H** 26 cm / 10.23"

**USA** 12×E27×60 W max  
*(not included)*

**DOWN** LED x 52 W CRI>90  
3000 K - 8200 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

**OLÀ PL6 90**




**Ø** 90 cm / 35.50"  
**H** 26 cm / 10.23"

**USA** 8×E27×60 W max  
*(not included)*

**DOWN** LED x 36 W CRI>90  
3000 K - 4932 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

**OLÀ PL6 60**




**Ø** 60 cm / 23.70"  
**H** 26 cm / 10.23"

**USA** 6×E27×60 W max  
*(not included)*

**DOWN** LED x 31,5 W CRI>90  
3000 K - 4380 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI

**OLÀ PL6 40**




**Ø** 40 cm / 15.74"  
**H** 26 cm / 10.23"

**USA** 6×E14×40 W max  
*(not included)*

**DOWN** LED x 12 W CRI>90  
3000 K - 1830 Nominal lm  
**Dimmable:** 1-10V + PUSH

**OLÀ PL8 OV 210**




**L** 210 cm / 82.67"  
**SP** 20 cm / 7.87"  
**H** 26 cm / 10.23"

**USA** 8×E14×40 W max  
*(not included)*

**DOWN** LED x 55,8 W CRI>90  
3000 K - 8400 Nominal lm  
**Dimmable:** DALI + PUSH

**OLÀ PL6 OV 160**




**L** 160 cm / 62.99"  
**SP** 13 cm / 5.12"  
**H** 26 cm / 10.23"

**USA** 6×E14×40 W max  
*(not included)*

**DOWN** LED x 43,5 W CRI>90  
3000 K - 6550 Nominal lm  
**Dimmable:** DALI + PUSH

**OLÀ PL4 OV 100**




**L** 100 cm / 39.37"  
**SP** 13 cm / 5.12"  
**H** 26 cm / 10.23"

**USA** 4×E14×40 W max  
*(not included)*

**DOWN** LED x 21,6 W CRI>90  
3000 K - 3270 Nominal lm  
**Dimmable:** 1-10V + PUSH

**OLÀ A6 OV 160**




**L** 160 cm / 62.99"  
**SP** 20 cm / 7.87"  
**H** 20 cm / 7.87"

6×E14×40 W max  
**USA** 6×E12×40 W max  
*(not included)*

**UP** LED x 18 W CRI>90  
 3000 K - 2670 Nominal lm  
**DOWN** LED x 44,5 W CRI>90  
 3000 K - 6675 Nominal lm  
**Dimmable:** 1-10V + PUSH

**OLÀ A2 OV 70**




**L** 70 cm / 27.56"  
**SP** 15 cm / 6.00"  
**H** 20 cm / 7.87"

2×E27×60 W max  
**USA** 2×E26×60 W max  
*(not included)*

**UP** LED x 9,3 W CRI>90  
 3000 K - 1400 Nominal lm  
**DOWN** LED x 18,6 W CRI>90  
 3000 K - 2800 Nominal lm  
**Dimmable:** 1-10V + PUSH

**OLÀ A2 OV 50**




**L** 50 cm / 19.70"  
**SP** 12 cm / 4.72"  
**H** 18 cm / 7.08"

2×E27×60 W max  
**USA** 2×E26×60 W max  
*(not included)*

**UP** LED x 5,25 W CRI>90  
 3000 K - 725 Nominal lm  
**DOWN** LED x 7,8 W CRI>90  
 3000 K - 1170 Nominal lm  
**Dimmable:** 1-10V + PUSH

**OLÀ A1 OV 30**




**L** 30 cm / 11.81"  
**SP** 10 cm / 3.94"  
**H** 18 cm / 7.09"

1×R7s 78 mm×150 W max  
**USA** 1×E12×40 W max  
*(not included)*

**UP** LED x 5,8 W CRI>90  
 3000 K - 800 Nominal lm  
**DOWN** LED x 5,8 W CRI>90  
 3000 K - 800 Nominal lm  
**Dimmable:** 1-10V + PUSH

**OLÀ TL2**




**L** 50 cm / 19.70"  
**SP** 16 cm / 6.30"  
**H** 50 cm / 19.70"

2×E27×60 W max  
**USA** 2×E26×60 W max  
*(not included)*

**UP** LED x 5,25 W CRI>90  
 3000 K - 725 Nominal lm  
**DOWN** LED x 7,8 W CRI>90  
 3000 K - 1170 Nominal lm  
**Dimmable:** OWN BUTTON

**OLÀ STL2**



**L** 50 cm / 19.70"  
**SP** 24 cm / 9.45"  
**H** 180 cm / 70.90"

2×E27×60 W max  
**USA** 2×E26×60 W max  
*(not included)*

**UP** LED x 5,25 W CRI>90  
 3000 K - 725 Nominal lm  
**DOWN** LED x 7,8 W CRI>90  
 3000 K - 1170 Nominal lm  
**Dimmable:** OWN BUTTON

Struttura in metallo verniciato con pendagli.

Painted metal frame with pendants.

Gestell aus lackiertem Metall mit Behang.

Structure en métal verni avec pampilles.

**МЕТАЛЛИЧЕСКИЙ ОКРАШЕННЫЙ КАРКАС С ПОДВЕСКАМИ.**


### Standard finishings



**V95** Matt white frame cold pendants




**F01** Gold leaf frame amber pendants




**F02** Silver leaf frame transparent pendants




**F03** Copper leaf frame copper pendants



**V30** Oxide red frame cold pendants



**V50** Blue navy frame amber pendants



**V83** Matt bronze frame warm pendants



**G01** Burnished frame amber pendants



**V90** Matt black frame smoky pendants


### Standard pendants



Transparent



Cold




Amber



Copper



Warm



Smoky

### Family

#### Suspension




#### Ceiling



#### Applique




#### Table lamp



#### Floor lamp




### Standard cables for all suspensions



**OLÀ S12 120**

**Suspension**




**TECHNICAL INFORMATION**

Ø 120 cm / 47.24"  
 H 20 cm / 7.87"  
 STD LIGHT: 12×E26×60 W max (not included)  
 LED LIGHT: UP LED x 15.8 W CRI>90  
 3000 K - 2100 Nominal lm  
 DOWN LED x 70.4 W CRI>90  
 3000 K - 8500 Nominal lm  
 Dimmable: 0-10V

**OLÀ S6 90**

**Suspension**




**TECHNICAL INFORMATION**

Ø 90 cm / 35.43"  
 H 20 cm / 7.87"  
 STD LIGHT: 8×E26×60 W max (not included)  
 LED LIGHT: UP LED x 10.5 W CRI>90  
 3000 K - 1540 Nominal lm  
 DOWN LED x 31.5 W CRI>90  
 3000 K - 4620 Nominal lm  
 Dimmable: 0-10V

**OLÀ S6 60**

**Suspension**




**TECHNICAL INFORMATION**

Ø 60 cm / 23.62"  
 H 20 cm / 7.87"  
 STD LIGHT: 6×E26×60 W max (not included)  
 LED LIGHT: UP LED x 9.5 W CRI>90  
 3000 K - 1370 Nominal lm  
 DOWN LED x 31.5 W CRI>90  
 3000 K - 4620 Nominal lm  
 Dimmable: 0-10V

**OLÀ S6 40**

**Suspension**



**TECHNICAL INFORMATION**

Ø 40 cm / 15.74"  
 H 20 cm / 7.87"  
 STD LIGHT: 6×E12×40 W max (not included)  
 LED LIGHT: UP LED x 12 W CRI>90  
 3000 K - 1870 Nominal lm  
 DOWN LED x 12 W CRI>90  
 3000 K - 1870 Nominal lm  
 Dimmable: 0-10V

**OLÀ S2 15**

**Suspension**




**TECHNICAL INFORMATION**

Ø 15 cm / 5.90"  
 H 26 cm / 10.23"  
 STD LIGHT: 1×E12×40 W max (not included)  
 LED LIGHT: DOWN LED x 7 W CRI>90  
 3000 K - 1080 Nominal lm  
 Dimmable: 0-10V

**OLÀ S8 OV 210**

**Suspension**




**TECHNICAL INFORMATION**

L 210 cm / 82.67"  
 SP 20 cm / 7.87"  
 H 20 cm / 7.87"  
 STD LIGHT: 8×E12×40 W max (not included)  
 LED LIGHT: UP LED x 16.4 W CRI>90  
 3000 K - 2400 Nominal lm  
 DOWN LED x 49.2 W CRI>90  
 3000 K - 7200 Nominal lm  
 Dimmable: 0-10V

**OLÀ S6 OV 160**

**Suspension**




**TECHNICAL INFORMATION**

L 160 cm / 63.00"  
 SP 14 cm / 5.50"  
 H 20 cm / 7.87"  
 STD LIGHT: 6×E12×40 W max (not included)  
 LED LIGHT: UP LED x 22.6 W CRI>90  
 3000 K - 2770 Nominal lm  
 DOWN LED x 45.2 W CRI>90  
 3000 K - 5600 Nominal lm  
 Dimmable: 0-10V

**OLÀ S4 OV 100**

**Suspension**




**TECHNICAL INFORMATION**

L 100 cm / 39.37"  
 SP 13 cm / 5.12"  
 H 20 cm / 7.87"  
 STD LIGHT: 4×E12×40 W max (not included)  
 LED LIGHT: UP LED x 4 W CRI>90  
 3000 K - 690 Nominal lm  
 DOWN LED x 23.2 W CRI>90  
 3000 K - 3450 Nominal lm  
 Dimmable: 0-10V

**OLÀ S2 OV 50**

**Suspension**




**TECHNICAL INFORMATION**

L 50 cm / 19.69"  
 SP 8 cm / 3.14"  
 H 18 cm / 7.09"  
 STD LIGHT: 2×E26×60 W max (not included)  
 LED LIGHT: UP LED x 9.2 W CRI>90  
 3000 K - 1285 Nominal lm  
 DOWN LED x 9.2 W CRI>90  
 3000 K - 1285 Nominal lm  
 Dimmable: 0-10V

**OLÀ S1 OV 30**


**Suspension**



**TECHNICAL INFORMATION**

L 30 cm / 11.81"  
 SP 7 cm / 2.75"  
 H 18 cm / 7.09"  
 STD LIGHT: 1×E12×40 W max (not included)  
 LED LIGHT: UP LED x 5.5 W CRI>90  
 3000 K - 820 Nominal lm  
 DOWN LED x 5.5 W CRI>90  
 3000 K - 820 Nominal lm  
 Dimmable: 0-10V

## OLÀ C3 LN 75

CE 

## TECHNICAL INFORMATION

L 75 cm / 29.52"

SP 20 cm / 7.87"

H max 180 cm / 70.86"


STD LIGHT: 3 x E12 x 40W max (not included)

LED LIGHT: DOWN: LED x 21 W CRI&gt;90

3000 K - 3240 Nominal lm

Dimmable: 0-10V

## OLÀ C5 LN 125

CE 

## TECHNICAL INFORMATION

L 125 cm / 49.21"

SP 20 cm / 7.87"

H max 180 cm / 70.86"


STD LIGHT: 5 x E12 x 40W max (not included)

LED LIGHT: DOWN: LED x 35 W CRI&gt;90

3000 K - 5400 Nominal lm

Dimmable: 0-10V

## OLÀ C7 LN 175

CE 

## TECHNICAL INFORMATION

L 175cm/68.89"

SP 20 cm / 7.87"

H max 180 cm / 70.86"


STD LIGHT: 7 x E12 x 40W max (not included)

LED LIGHT: DOWN: LED x 49W CRI&gt;90

3000 K - 7560 Nominal lm

Dimmable: 0-10V

## OLÀ C3 RD 40

CE 

## TECHNICAL INFORMATION

Ø 40 cm / 15.74"

H max 180 cm / 70.86"


STD LIGHT: 3 x E12 x 40W max (not included)

LED LIGHT: DOWN: LED x 21 W CRI&gt;90

3000 K - 3240 Nominal lm

Dimmable: 0-10V

## OLÀ C5 RD 60

CE 

## TECHNICAL INFORMATION

Ø 60 cm / 23.62"

H max 180 cm / 70.86"


STD LIGHT: 5 x E12 x 40W max (not included)

LED LIGHT: DOWN: LED x 35 W CRI&gt;90

3000 K - 5400 Nominal lm

Dimmable: 0-10V

## OLÀ C7 RD 80

CE 

## TECHNICAL INFORMATION

Ø 80 cm / 31.49"

H max 180 cm / 70.86"

STD LIGHT: 7 x E12 x 40W max (not included)

LED LIGHT: DOWN: LED x 49W CRI&gt;90


3000 K - 7560 Nominal lm

Dimmable: 0-10V



**OLÀ PL12 120**

**Ceiling**




**TECHNICAL INFORMATION**

Ø 120 cm / 47.24"  
H 26 cm / 10.23"

STD LIGHT: 12×E26×60 W max (not included)  
LED LIGHT: DOWN LED x 65.6 W CRI>90  
3000 K - 9200 Nominal lm  
Dimmable: 0-10V

**OLÀ PL6 90**

**Ceiling**




**TECHNICAL INFORMATION**

Ø 90 cm / 35.43"  
H 26 cm / 10.23"

STD LIGHT: 8×E26×60 W max (not included)  
LED LIGHT: DOWN LED x 31.5 W CRI>90  
3000 K - 4620 Nominal lm  
Dimmable:0-10V

**OLÀ PL6 60**

**Ceiling**




**TECHNICAL INFORMATION**

Ø 60 cm / 23.62"  
H 26 cm / 10.23"

STD LIGHT: 6×E26×60 W max (not included)  
LED LIGHT: DOWN LED x 28 W CRI>90  
3000 K - 4110 Nominal lm  
Dimmable: 0-10V

**OLÀ PL6 40**

**Ceiling**




**TECHNICAL INFORMATION**

Ø 40 cm / 15.74"  
H 26 cm / 10.23"

STANDARD LIGHTING: 6×E12×40 W max (not included)  
LED LIGHTING:DOWN LED x 12 W CRI>90  
3000 K - 1870 Nominal lm  
Dimmable: 0-10V

**OLÀ PL8 OV 210**

**Ceiling**




**TECHNICAL INFORMATION**

L 210 cm / 82.67"  
SP 20 cm / 7.87"  
H 26 cm / 10.23"

STD LIGHT: 8×E12×40 W max (not included)  
LED LIGHT: DOWN LED x 61.2 W CRI>90  
3000 K - 8860 Nominal lm  
Dimmable: 0-10V

**OLÀ PL6 OV 160**

**Ceiling**




**TECHNICAL INFORMATION**

L 160 cm / 62.99"  
SP 14 cm / 5.51"  
H 23 cm / 9.06"

STD LIGHT: 6×E12×40 W max (not included)  
LED LIGHT: DOWN LED x 45 W CRI>90  
3000 K - 5820 Nominal lm  
Dimmable: 0-10V

**OLÀ PL4 OV 100**

**Ceiling**




**TECHNICAL INFORMATION**

L 100 cm / 39.37"  
SP 13 cm / 5.12"  
H 23 cm / 9.06"

STD LIGHT: 4×E12×40 W max (not included)  
LED LIGHT: DOWN LED x 23.5 W CRI>90  
3000 K - 3425 Nominal lm  
Dimmable: 0-10V

**OLÀ A6 OV 160**

**Applique**




**TECHNICAL INFORMATION**

**L** 160 cm / 62.99"  
**SP** 20 cm / 7.87"  
**H** 20 cm / 7.87"  
**STD LIGHT:** 6×E12×40 W max (not included)  
**LED LIGHT: UP** LED x22.6 W CRI>90  
 3000 K - 2770 Nominal lm  
**DOWN** LED x 45.2 W CRI>90  
 3000 K - 5600 Nominal lm  
**Dimmable:** 0-10V

**OLÀ A2 OV 70**

**Applique**




**TECHNICAL INFORMATION**

**L** 70 cm / 27.56"  
**SP** 15 cm / 5.90"  
**H** 20 cm / 7.87"  
**STD LIGHT:** 2×E26×60 W max (not included)  
**LED LIGHT: UP** LED x 5.5 W CRI>90  
 3000 K - 775 Nominal lm  
**DOWN** LED x 15.8 W CRI>90  
 3000 K - 2320 Nominal lm  
**Dimmable:** 0-10V

**OLÀ A2 OV 50**

**Applique**




**TECHNICAL INFORMATION**

**L** 50 cm / 19.68"  
**SP** 12 cm / 4.72"  
**H** 18 cm / 7.08"  
**STD LIGHT:** 2×E26×60 W max (not included)  
**LED LIGHT: UP** LED x 4 W CRI>90  
 3000 K - 650 Nominal lm  
**DOWN** LED x 8 W CRI>90  
 3000 K - 1300 Nominal lm  
**Dimmable:** 0-10V

**OLÀ A1 OV 30**

**Applique**




**TECHNICAL INFORMATION**

**L** 30 cm / 11.81"  
**SP** 11 cm / 4.33"  
**H** 18 cm / 7.08"  
**STD LIGHT:** 1×E12×40 W max (not included)  
**LED LIGHT: UP** LED x 5,5 W CRI>90  
 3000 K - 770 Nominal lm  
**DOWN** LED x 5,5 W CRI>90  
 3000 K - 770 Nominal lm  
**Dimmable:** 0-10V

**OLÀ TL2**

**Table lamp**



**TECHNICAL INFORMATION**

**L** 50 cm / 19.68"  
**SP** 16 cm / 6.30"  
**H** 50 cm / 19.68"  
**STD LIGHT:** 2×E26×60 W max (not included)  
**LED LIGHT: UP** LED x 5,25 W CRI>90  
 3000 K - 725 Nominal lm  
**DOWN** LED x 7,8 W CRI>90  
 3000 K - 1170 Nominal lm  
**Dimmable:** OWN BUTTON

**OLÀ STL2**

**Floor lamp**



**TECHNICAL INFORMATION**

**L** 50 cm / 19.68"  
**SP** 24 cm / 9.45"  
**H** 180 cm / 70.90"  
**STD LIGHT:** 2×E26×60 W max (not included)  
**LED LIGHT: UP** LED x 5,25 W CRI>90  
 3000 K - 725 Nominal lm  
**DOWN** LED x 7,8 W CRI>90  
 3000 K - 1170 Nominal lm  
**Dimmable:** OWN BUTTON

.\* Only for standard lighting.