



Toio Led

Designed by Achille and Pier Giacomo Castiglioni, 1962



LED retrofit - 23W

Floor lamp providing indirect lighting. Angle iron and formed steel base, painted in a variety of colors. Hexagonal nickel-plated brass height-adjustable stem with telescopic head. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

| EAN | 8059607007266 Floor | |
|-------------------|------------------------|--|
| Mounting | | |
| Environments | Indoor dry location | |
| Light Source Type | Bulb | |
| Lamp category | LED retrofit | |
| Lamp holders | Gx16d | |
| Number of heads | 1 | |
| Power (W) | 23 | |

Physical

| Colour | Black |
|---------------------|-------|
| Cord length (mm) | 2470 |
| Net weight (kg) | 8.2 |
| Package volume (m3) | 0.12 |
| IP internal | 20 |



Download

| Mounting instructions | <u>↓</u> PDF |
|-----------------------|--------------|
| Spare Parts | 业 PDF |

Photometric Files

LDT / IES



Technical Drawings

| 2D | ₹ ZIP |
|----|--------------|
| 3D | <u>↓</u> ZIP |












https://professional.flos.com/en/global/product/toio-led-f7630030/

F7630030

Schematic light drawing




| Beam | Beam Angle: | |
|------|-------------|-------|
| h(m) | E(lx) | D(m) |
| 1 | 751 | 2.53 |
| 2 | 188 | 5.06 |
| 3 | 83 | 7.59 |
| 4 | 47 | 10.12 |
| 5 | 30 | 12.64 |

Photometric

| Lighting type | Indirect | |
|--------------------|----------------|--|
| Light distribution | Roto symmetric | |

Electrical

| Insulation class | II |
|----------------------|-------------------|
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-240 |
| LED voltage Vf (Vdc) | null |
| Dimmable | Yes |
| Dimming interface | Dimmer Integrated |
| Plug type | Type C |
| Batteries inside | No |




INCLUDED

RF32297

LED Lamp 20W Gx16d 220-240V 2500K PAR56

Spare Parts



| 01. | Nickel plated brass cage | RF02774 |
|-----|--------------------------------|-----------|
| 02. | Electrical wiring from | RF04607 |
| | transformer to bulb | |
| 03. | Rod | RF02775 |
| 04. | Lamp base | RF02580 |
| 06. | P2001 6a 250v fuse holder | RF05784 |
| 07. | Wire loop assembly | RF7600100 |
| 08. | Cable winder support | RF06730 |
| 09. | Nickel knob | RF06732 |
| 10. | Toio switch dimmer & wiring | RF28230 |
| | assembly | |
| 11. | Led rondo' dimmer 220/240v 40- | RF28045 |
| | 250w 4-100w | |

DOWNLOAD





Nickel plated brass cage



Electrical wiring from transformer to bulb



RF02775

Rod



Lamp base



P2001 6a 250v fuse holder



Wire loop assembly



Cable winder support



Nickel knob



RF28230 Toio switch dimmer & wiring assembly



RF28045 Led rondo' dimmer 220/240v 40-250w 4-100w