

Luminaire


Code 0391030A
Name LOGICO PARETE GRIGIO

Measurerm.

Code FTS0002519
Name LOGICO PARETE GRIGIO

Luminaire Flux	1150.54 lm	Luminaire Power	104.00 W	Efficacy	11.06 lm/W	Efficiency	70.15%
Lamps Flux	1640.00 lm	Maximum value	131.33 cd/klm	Position	C=0.00 G=85.00	CG	Asymmetrical
Rectangular Luminaire		Length	380 mm	Width	185 mm	Height	310 mm
Rectangular Luminous Area		Length	380 mm	Width	185 mm	Height	310 mm
Horizontal Luminous Area		0.070300 m2		Emitting area on Plane 180°		0.117800 m2	
Emitting area on Plane 0°		0.117800 m2		Emitting area on Plane 270°		0.057350 m2	
Emitting area on Plane 90°		0.057350 m2		Glare area at 76°		0.131308 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		24-09-2007		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1640.00 lm	
52W HSGSA E27							
C.I.E.	30 54 77 59 70			D DIN 5040		C11	
F UTE	0.41 J + 0.29 T			B NBN		BZ 7	


380mm x 185mm



Semipiani C

180.0 ——— 0.0
270.0 - - - - - 90.0

ULOR 28.73 %
DLOR 41.42 %
RN 40.95 %



Luminaire

Code 0391030A
Name LOGICO PARETE GRIGIO

Measur.

Code FTS0002519
Name LOGICO PARETE GRIGIO

Luminaire Flux	1150.54 lm	Luminaire Power	104.00 W	Efficacy	11.06 lm/W	Efficiency	70.15%
Lamps Flux	1640.00 lm	Maximum value	131.33 cd/klm	Position	C=0.00 G=85.00	CG	Asymmetrical
Rectangular Luminaire Rectangular Luminous Area		Length Length	380 mm 380 mm	Width Width	185 mm 185 mm	Height Height	310 mm 310 mm
Horizontal Luminous Area		0.070300 m2		Emitting area on Plane 180°		0.117800 m2	
Emitting area on Plane 0°		0.117800 m2		Emitting area on Plane 270°		0.057350 m2	
Emitting area on Plane 90°		0.057350 m2		Glare area at 76°		0.131308 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		24-09-2007		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1640.00 lm	
52W HSGSA E27							
C.I.E.	30 54 77 59 70			D DIN 5040	C11		
F UTE	0.41 J + 0.29 T			B NBN	BZ 7		

Apertura a destra non trovata, gamma =83

Apertura a destra non trovata, gamma =83

Apertura a destra non trovata, gamma =83

Luminaire

Code 0391030A
Name LOGICO PARETE GRIGIO

Measurement

Code FTS0002519
Name LOGICO PARETE GRIGIO

Luminaire Flux	1150.54 lm	Luminaire Power	104.00 W	Efficacy	11.06 lm/W	Efficiency	70.15%
Lamps Flux	1640.00 lm	Maximum value	131.33 cd/klm	Position	C=0.00 G=85.00	CG	Asymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	< 0	< 0	< 0	< 0	12.6	9.7	10.7	10.5	11.5	12.6
x=2H y=3H	< 0	< 0	< 0	< 0	15.4	12.6	13.5	13.4	14.4	15.4
x=2H y=4H	< 0	< 0	< 0	< 0	17.0	14.2	15.0	15.0	15.9	17.0
x=2H y=6H	< 0	< 0	< 0	< 0	18.5	15.7	16.5	16.5	17.4	18.5
x=2H y=8H	< 0	< 0	< 0	< 0	19.2	16.4	17.2	17.3	18.1	19.2
x=2H y=12H	< 0	< 0	< 0	< 0	20.0	17.2	18.0	18.1	18.9	20.0
x=4H y=2H	< 0	< 0	< 0	< 0	13.4	10.6	11.4	11.4	12.3	13.4
x=4H y=3H	< 0	< 0	< 0	< 0	16.3	13.5	14.3	14.4	15.2	16.3
x=4H y=4H	< 0	< 0	< 0	< 0	17.9	15.2	15.8	16.0	16.7	17.9
x=4H y=6H	< 0	< 0	< 0	< 0	19.5	16.8	17.4	17.7	18.3	19.5
x=4H y=8H	< 0	< 0	< 0	< 0	20.3	17.7	18.2	18.6	19.2	20.3
x=4H y=12H	< 0	< 0	< 0	< 0	21.2	18.5	19.0	19.4	20.0	21.2
x=8H y=4H	0.8	1.4	1.7	2.3	18.4	15.7	16.2	16.6	17.2	18.4
x=8H y=6H	0.9	1.4	1.9	2.3	20.1	17.5	18.0	18.5	18.9	20.1
x=8H y=8H	0.9	1.3	1.9	2.3	21.1	18.5	18.9	19.4	19.9	21.1
x=8H y=12H	0.9	1.3	1.9	2.2	22.1	19.5	19.9	20.4	20.8	22.1
x=12H y=4H	1.8	2.3	2.7	3.2	18.4	15.8	16.3	16.7	17.2	18.4
x=12H y=6H	2.1	2.5	3.1	3.5	20.3	17.7	18.1	18.7	19.1	20.3
x=12H y=8H	2.2	2.5	3.1	3.5	21.3	18.7	19.1	19.7	20.1	21.3