



## 2302/NE **y3**

design simon schmitz, 2019

A dynamic floor lamp with direct/indirect light. Thanks to the three guy wires fixed on the lamp body and connected to the three springs present at the triangular base, the lamp can be tilted in any direction, always remaining perfectly balanced. The aluminum swivel LED light source reflector with swivel joint allows directing the light in any position. Dimmable driver on the plug 24V, dimmable.

## 2302/NE y3

Dimensions

Width:

Height:

Length:

Depth:

Power:

Light output:

Beam angle:

Diameter:

**Device Specifications** 

Type of emission:

уЗ family:

Designers: Simon Schmitz

Utilization: indoor Typology: floor lamps

Certifications:

IP20 **( €** ♥ □ Market: This item is available in the

following countries:

Body Color:

Body Materials:

aluminium

**EUROPE** 

200 cm


45 (base) cm

direct/indirect

Light Source Hole Diameter: Watt: 13W Hole Depth: 1950 Im Lumen: Net weight: 6 Kg Light Source: led CRI: >80 duration: 50000 CCT: 3000K Energy degree: A++ Power cable length: Driver: included Steel cable length: Power supply assembly: external Glow Wire Test: Power supply: electronic driver on the plug Impact Resistance: Type of dimming: Voltage: 24V



## technical drawing



Dimensions

Width: - Hole Diameter: -Height: 200 cm Hole Depth: -Length: - Net weight: 6 Kg

Depth: -

Diameter: 45 (base) cm



y3 2302/NE design simon schmitz, 2019







