

## Luminaire


Code T081510  
Name CICLOPE incasso 6W 3000K ruggine

## Measurem.

Code FDS0000973  
Name CICLOPE incasso 6W 3000K ruggine

Luminaire Flux	283.99 lm	Luminaire Power	6.00 W	Efficacy	47.33 lm/W	Efficiency	100.00%
Lamps Flux	283.99 lm	Maximum value	484.11 cd/klm	Position	C=0.00 G=62.00	CG	Asymmetrical
Rectangular Luminaire Round Luminous Area	Length Diam.	170 mm 90 mm	Width Height	270 mm 0 mm	Height	50 mm	
Horizontal Luminous Area	0.006362 m2		Emitting area on Plane 180°		0.000000 m2		
Emitting area on Plane 0°	0.000000 m2		Emitting area on Plane 270°		0.000000 m2		
Emitting area on Plane 90°	0.000000 m2		Glare area at 76°		0.001539 m2		
Coordinate system	CG		Symmetry Type		Asymmetrical		
Date	17-05-2013		Maximum Gamma Angle		180		
Measurement Distance	0.00		Measurement Flux		283.99 lm		
LED							
C.I.E.	24 52 79 78 100	D DIN 5040		B11			
F UTE	0.78 J + 0.22 T	B NBN		BZ 8 / 2.5 / BZ 7			


170mm x 270mm



Semipiani C

180.0 ——— 0.0  
270.0 - - - - - 90.0

ULOR 21.85 %  
DLOR 78.15 %  
RN 21.85 %



**Luminaire**

Code T081510  
Name CICLOPE incasso 6W 3000K ruggine

**Measur.**

Code FDS0000973  
Name CICLOPE incasso 6W 3000K ruggine

Luminaire Flux	283.99 lm	Luminaire Power	6.00 W	Efficacy	47.33 lm/W	Efficiency	100.00%
Lamps Flux	283.99 lm	Maximum value	484.11 cd/klm	Position	C=0.00 G=62.00	CG	Asymmetrical
Rectangular Luminaire Round Luminous Area		Length Diam.	170 mm 90 mm	Width Height	270 mm 0 mm	Height	50 mm
Horizontal Luminous Area		0.006362 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001539 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		17-05-2013		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		283.99 lm	
LED							
C.I.E.	24 52 79 78 100			D DIN 5040	B11		
F UTE	0.78 J + 0.22 T			B NBN	BZ 8 / 2.5 / BZ 7		

Apertura a destra non trovata, gamma =62

Apertura a destra non trovata, gamma =62

Apertura a destra non trovata, gamma =62

**Luminaire**

Code T081510  
Name CICLOPE incasso 6W 3000K ruggine

**Measurement**

Code FDS0000973  
Name CICLOPE incasso 6W 3000K ruggine

Luminaire Flux	283.99 lm	Luminaire Power	6.00 W	Efficacy	47.33 lm/W	Efficiency	100.00%
Lamps Flux	283.99 lm	Maximum value	484.11 cd/klm	Position	C=0.00 G=62.00	CG	Asymmetrical

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	< 0	< 0	< 0	< 0	20.1	17.5	18.8	18.1	19.4	20.1
x=2H y=3H	< 0	< 0	< 0	< 0	21.4	18.8	20.0	19.5	20.7	21.4
x=2H y=4H	< 0	< 0	< 0	< 0	21.9	19.4	20.5	20.0	21.2	21.9
x=2H y=6H	< 0	< 0	< 0	< 0	22.2	19.7	20.8	20.4	21.5	22.2
x=2H y=8H	< 0	< 0	< 0	< 0	22.3	19.8	20.8	20.5	21.5	22.3
x=2H y=12H	< 0	< 0	< 0	< 0	22.3	19.8	20.8	20.5	21.5	22.3
x=4H y=2H	< 0	< 0	< 0	< 0	23.7	21.1	22.3	21.8	22.9	23.7
x=4H y=3H	< 0	< 0	< 0	< 0	25.2	22.7	23.7	23.4	24.4	25.2
x=4H y=4H	< 0	< 0	< 0	< 0	25.8	23.4	24.3	24.1	25.0	25.8
x=4H y=6H	< 0	< 0	< 0	< 0	26.4	24.0	24.8	24.7	25.5	26.4
x=4H y=8H	< 0	< 0	< 0	< 0	26.5	24.1	24.9	24.9	25.6	26.5
x=4H y=12H	< 0	< 0	< 0	< 0	26.6	24.2	24.9	25.0	25.7	26.6
x=8H y=4H	< 0	< 0	< 0	< 0	28.6	26.2	27.0	26.9	27.7	28.6
x=8H y=6H	< 0	< 0	< 0	< 0	29.5	27.2	27.8	28.0	28.6	29.5
x=8H y=8H	< 0	< 0	< 0	< 0	29.9	27.6	28.2	28.4	28.9	29.9
x=8H y=12H	< 0	< 0	< 0	< 0	30.1	27.9	28.4	28.7	29.2	30.1
x=12H y=4H	< 0	< 0	< 0	< 0	29.5	27.2	27.8	27.9	28.6	29.5
x=12H y=6H	< 0	< 0	< 0	< 0	30.7	28.5	29.0	29.2	29.8	30.7
x=12H y=8H	< 0	< 0	< 0	< 0	31.3	29.1	29.6	29.9	30.4	31.3