



LUCE SFERICA S2 EU/CCC

Designed byRonan Bouroullec, 2025



Main Information


Ean	8059607075692
Custom product	No
Location	Indoor
Environment	Indoor dry location
Mounting	Suspension
Light source type	LED
Light source replaceable	Replaceable (LED only) light source by a professional
LED type	LED Module
System flux (lm)	6,682

Downloads

Mounting instructions PDF ↕

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Optical

Lighting type	Indirect, Direct
Optical type	Diffused light
Lighting distribution	Symmetric

Electrical

Frequency (Hz)	50/60
Power supply	Integrated
Power supply type	Dimmer on board
Power supply replaceable	Replaceable control gear by a professional
Insulation Class	I
Main voltage (Vac)	100-240
Dimming	Yes
Power (W)	145
LED current (mA)	600
Power factor (W)	0.96
Dimming interface	Dimmer Integrated
Light source replaceable	Replaceable (LED only) light source by a professional
Light source type	LED
LED type	LED Module
CCT (K)	2700
System flux (lm)	6,682
LOR (%)	100
CRI	95

Physical

Suspension type	Suspension steel cable
Cord length (mm)	2700
Cord length (in)	106.299
Canopy length/diameter (mm)	900
Canopy length/diameter (in)	35.433
template.product.physical.canopy. width class="table-lable"	78
template.product.physical.canopy. width class="table-lable".us	3.071

Logistic

Net weight (kg)	34.5
Net weight (lb)	76.06
Gross weight (kg)	43.4
Gross weight (lb)	95.68
Shipping packages quantity	3

Marking

IP Category	20
Energy Label	F
Casambi	No