

## Luminaire

Code 2004060A  
Name DISCOVERY SPACE 90X90 S W BZO

## Measurem.

Code FTS2000380  
Name DISCOVERY SPACE 90X90 S W BZO

Luminaire Flux	1955.25 lm	Luminaire Power	34.00 W	Efficacy	57.51 lm/W	Efficiency	100.00%
Lamps Flux	1955.25 lm	Maximum value	155.21 cd/klm	Position	C=90.00 G=90.00	CG	Asymmetrical
Rectangular Luminaire		Length	17 mm	Width	900 mm	Height	900 mm
Rectangular Luminous Area		Length	1 mm	Width	866 mm	Height	865 mm
Horizontal Luminous Area			0.000866 m2	Emitting area on Plane 180°			0.000000 m2
Emitting area on Plane 0°			0.000000 m2	Emitting area on Plane 270°			0.749956 m2
Emitting area on Plane 90°			0.749956 m2	Glare area at 76°			0.000210 m2
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		19-02-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1955.25 lm	


LED Flux=4716lm LED Power=30W Eff=41% EfcLed=157lm/W EfcLum=58lm/W CCT=3000K Ra=90 SDCM=3 L70(6K)=50000 h

C.I.E. 20 45 72 50 100  
F UTE 0.50 J + 0.50 T

D DIN 5040  
B NBN

C11  
BZ 9


17mm x 900mm



Semipiani C

180.0 ——— 0.0  
270.0 ——— 90.0

ULOR 50.00 %  
DLOR 50.00 %  
RN 50.00 %



**Luminaire**

Code 2004060A  
Name DISCOVERY SPACE 90X90 S W BZO

**Measur.**

Code FTS2000380  
Name DISCOVERY SPACE 90X90 S W BZO

Luminaire Flux	1955.25 lm	Luminaire Power	34.00 W	Efficacy	57.51 lm/W	Efficiency	100.00%
Lamps Flux	1955.25 lm	Maximum value	155.21 cd/klm	Position	C=90.00 G=90.00	CG	Asymmetrical
Rectangular Luminaire		Length	17 mm	Width	900 mm	Height	900 mm
Rectangular Luminous Area		Length	1 mm	Width	866 mm	Height	865 mm
Horizontal Luminous Area		0.000866 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.749956 m2	
Emitting area on Plane 90°		0.749956 m2		Glare area at 76°		0.000210 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		19-02-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1955.25 lm	
LED Flux=4716lm LED Power=30W Eff=41% EfcLed=157lm/W EfcLum=58lm/W CCT=3000K Ra=90 SDCM=3 L70(6K)=50000 h							
C.I.E.	20 45 72 50 100			D DIN 5040	C11		
F UTE	0.50 J + 0.50 T			B NBN	BZ 9		

Apertura a destra non trovata, gamma =0

Apertura a destra non trovata, gamma =0

Apertura a destra non trovata, gamma =0