


PRODUCT

COLOURS



// Brass

DESCRIPTION

The 9464 Wall Lamp, designed in the early 1950's by Paavo Tynell, is a great example on how the Finnish designer elevated illumination into an art form. The clean, sculptured brass shade lends an air of elegance with Tynell's distinctive traits of twin dot perforation pattern combined with notched edges, making the wall lamp appealing and admirable in all its simplicity. Equally relevant today as when first introduced, the 9464 Wall Lamp fits perfectly into contemporary interiors, adding a sculptural effect to the wall whilst simultaneously creating a relaxed yet very refined indirect lighting.

FACTS

VERSION - 9464 Wall Lamp

Shade // Polished Brass.
 Back plate // White lacquered.
 Fabric wire // Brass.
 Switch and plug // Black.
 Diffuser // Transparent glass, frosted on one side.

- Brass / Brass // Polished Brass / Brushed Brass // Shiny / Shiny

Due to natural materials surface and structure can vary.

MEASUREMENT LAMP- L X W X H CM

L: 24,5 X W:19,5 X H:13,5 cm

Cord - exposed out of lamp: App. 200 cm

WEIGHT OF LAMP

1,3 kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT LAMP - L X W X H CM

L:32 X W:24,5 X H:18,5 CM

WEIGHT, PACKAGING TOTAL

0,5 kg

WEIGHT LAMP + PACKAGING - TOTAL

1,8 kg

NUMBER OF PARCELS

1 pcs.

MEASUREMENTS

Order item - look for part number in the pricelist.


Series contains the following:

A1965 Pendant

1965 Pendant

5321 Table Lamp

9602 Floor Lamp



ACCESSORIES

-

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

UL Certified according to Unites States and Canadian National Standards - Listed

SAFETY INSTRUCTIONS

If the cord or other electrical part is damaged, switch of the lamp and do not use it until it is repaired by a qualified electrician.

INSTALLATION INSTRUCTIONS

Instructions document no.: 64-20-007-01



CARE INSTRUCTIONS

Daily cleaning can be done by wiping the frame with a clean dry cloth. Should the surface need more attention this can be obtained with water and a light detergent or soap applied with a damp cloth. Wipe away with a clean dry cloth. Avoid any abrasive materials.

TROUBLESHOOTING

If lamp does not light, turn off the power. Check the bulb for a broken filament. Replace bulb if necessary. Then turn it on. If the lamp still does not light, check electrical connection at the lamp shade. If the external flexible cable or cord of this lamp is damaged, it must be replaced by a qualified electrician in order to avoid a hazard.

TECHNICAL INFORMATION

Light source: E26, E15 Lumen
 - 60W Incandescent - 46W Halogen - 10W LED (Dimmable)
 Turn power off when changing light bulb. Installation class II. The lamp is not approved for outdoor use or use in damp areas (D20).

SAFETY INSTRUCTIONS

SAFETY INSTRUCTIONS PERTAINING TO RISK OF FIRE.
 ELECTRIC SHOCK, OR FIRE, OR EXPLOSION HAZARD!
WARNING: Lighted bulb gets HOT! Do not touch while on.
CAUTION: Read lamp shade care instructions, handling, cleaning, and any other flammable materials. Do not look directly at lighted bulb. Turn off lighting and allow time to cool before replacing bulb, cleaning or other maintenance. Do not use in the bathroom or other places.
CAUTION: TO REDUCE THE RISK OF FIRE, USE ONLY TYPE A BULB.
NEVER DO BURN TESTS. THIS CORD AND CORDS DO NOT MEET IEC 60335-1. THIS CORD AND CORDS MUST BE TESTED BY A QUALIFIED ELECTRICIAN!




For enquiries contact GUBI A.S. - CVR: 17940384
 Kløvnæsvej 7-8, 2150 Nordhavn, Copenhagen, Denmark
 T +45 69 15 60 60 - order@gubi.com
 GUBI.COM

64-20-007-01 Assembly Instructions 9464 Wall Lamp US.

GUBI

ASSEMBLY INSTRUCTIONS for 9464 Wall Lamp



LIGHT SOURCE:

- Socket: E26 base
- Bulb types recommended:



- Recommended light sources:

If LED is chosen, only dimmable versions work.
 810 Lumen (~ 60W incandescent)
 ~ 40W halogen ~ 6-10W LED)

- Max. light out put for above lamps:

60W Incandescent ~ 46W Halogen
 By LED 1530 Lumen (~ 13-16W)

- Best result is achieved with with a CRI (Colour Rendering Index) larger than 90.

- Lightbulb not included.

- All lamps can be fitted with a dimmer.
- Please contact your local electrician.

- US plug: Type A, 2 PIN, 15 amp, (NEMA 1-15)
- US voltage: 120 V
- Frequency: 60 Hz
- Supply voltage: AC power ~
- Normally Closed: IP20



Class II / Double insulated




Mark for Canada and the U.S.

GUBI

ASSEMBLY INSTRUCTIONS


CONTENTS

9464 Wall Lamp




1. Regular Wall Mounting

- Loosen screws.
- Remove back plate.




- Place lamp on back plate.
- Tighten screws.



2.

Mount plate on the wall - remember to leave the gap (A) at the bottom.




- Slide in glass from above.
- Insert light bulb, then switch on.




1. Hardwiring

- Cut wire.
- Loosen screws in cable clamp.




3.

Drill wire from the wall through one of the holes in the middle of the back plate and mount plate to wall. Remember to leave the gap (A) at the bottom.



- Place lamp on back plate.
- Tighten screws.



2.

- Remove wire from cable clamp.
- Cut off some of the outer isolation as well as all isolation on the wire.



4.

Connect all wires with screw terminals.



- Slide in glass from above.
- Tighten screws.

