


## Luminaire

Code 1200100A  
Name Alphabet of light - 1

## Measurem.

Code FTS1700215  
Name Alphabet of light - 1

Luminaire Flux	1436.00 lm	Luminaire Power	23.00 W	Efficacy	62.43 lm/W	Efficiency	100.00%
Lamps Flux	1436.00 lm	Maximum value	138.19 cd/klm	Position	C=180.00 G=90.00	CG Sym. on planes 0-180	
Rectangular Luminaire		Length	660 mm	Width	50 mm	Height	960 mm
Rectangular Luminous Area		Length	660 mm	Width	50 mm	Height	959 mm
Horizontal Luminous Area		0.033000 m2		Emitting area on Plane 180°		0.633600 m2	
Emitting area on Plane 0°		0.633600 m2		Emitting area on Plane 270°		0.048000 m2	
Emitting area on Plane 90°		0.048000 m2		Glare area at 76°		0.622763 m2	
Coordinate system		CG		Symmetry Type		Sym. on planes 0-180	
Date		05-04-2017		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1436.00 lm	
LED Flux=2080,6lm LED Power=23W Eff=69% EfcLed=90lm/W EfcLum=62lm/W Ra=80 SDCM=3 L70(6K)=50000h							
C.I.E.	21 46 73 50 100			D DIN 5040		C11	
F UTE	0.50 J + 0.50 T			B NBN		BZ 9	



**Luminaire**

Code 1200100A  
Name Alphabet of light - 1

**Measur.**

Code FTS1700215  
Name Alphabet of light - 1

Luminaire Flux	1436.00 lm	Luminaire Power	23.00 W	Efficacy	62.43 lm/W	Efficiency	100.00%
Lamps Flux	1436.00 lm	Maximum value	138.19 cd/klm	Position	C=180.00 G=90.00	CG Sym. on planes 0-180	
Rectangular Luminaire Rectangular Luminous Area	Length Length	660 mm 660 mm	Width Width	50 mm 50 mm	Height Height	960 mm 959 mm	
Horizontal Luminous Area	0.033000 m2	Emitting area on Plane 180°	0.633600 m2		0.633600 m2		
Emitting area on Plane 0°	0.633600 m2	Emitting area on Plane 270°	0.048000 m2		0.048000 m2		
Emitting area on Plane 90°	0.048000 m2	Glare area at 76°	0.622763 m2		0.622763 m2		
Coordinate system	CG	Symmetry Type	Sym. on planes 0-180		180		
Date	05-04-2017	Maximum Gamma Angle	180		1436.00 lm		
Measurement Distance	0.00	Measurement Flux	1436.00 lm				
LED Flux=2080,6lm LED Power=23W Eff=69% EfcLed=90lm/W EfcLum=62lm/W Ra=80 SDCM=3 L70(6K)=50000h							
C.I.E.	21 46 73 50 100	D DIN 5040	C11				
F UTE	0.50 J + 0.50 T	B NBN	BZ 9				

Apertura a sinistra non trovata, gamma ==-90

Apertura a sinistra non trovata, gamma ==-90

Apertura a sinistra non trovata, gamma ==-90