

# MAGLITE®

## XL200®

The newest member of our XL Series of compact LED flashlights, the XL200®, offers a rich array of advanced functions. Using the tail cap switch, the user can invoke any of five functions; and an inertial switch responds when the user rotates the flashlight to make output adjustments.

### The remarkably versatile XL200® can:

- Turn on and adjust continuously between bright and dim – and remember the user's choice the next time the light is turned on.
- Produce a strobe whose rate is user-adjustable from fast to slow – and remember the setting from use to use.
- Assume a "Nite Lite™" mode: The light comes on bright, gradually dimming to darkness. Then it just waits – ready to come on instantly if touched or moved.
- Enter a silent signal mode – producing visible International Morse Code signals (short and long flashes = "dots and dashes"), which the user controls by rotating the light.
- Produce a continuous, automatic flashing "SOS" signal. In addition, the XL200® has a "Lockout" feature to prevent accidental activation.



### Packaging Options



Blister pack



Presentation box

### Features & Benefits



Multi-Mode®



QuickClick®  
electronic switch




IPX4  
Water Resistant



ATA  
MEMBER TESTED  
AND RECOMMENDED

### Available Colors



Black Red Blue Gray



### TACTICAL PACK

Includes Lens Holder/  
Anti-Roll Device, Color  
Lens Set and Pocket  
Clip and premium  
alkaline batteries.

## TECHNICAL SPECIFICATIONS

### 3-Cell AAA



- Type - **Compact**
- Lumens - **172 lm**
- Beam Distance - **138m**
- Peak Beam Intensity - **4737cd**
- Barrel Diameter - **1 in. / 25.4 mm**
- Batteries - **(Alkaline) Included**
- Weight With Batteries - **3.68 oz. / 104g**
- Water-Resistant - **Yes**
- Drop Resistance - **1m**
- Technology - **LED**
- Length - **4.8 in. / 121.92 mm**
- Run Time, High/Low - **2h30min/218h**
- Head Diameter - **1 in. / 25.4 mm**
- Rechargeable - **No**
- Blister Size - **8.88 H x 4.88 W x 1.38 D in.**
- Pres. Box Size - **6.625 H x 3.125 W x 1.125 D in.**

**MAGLITE®** MAG INSTRUMENT, INC. • 2001 South Hellman Ave., Ontario, CA 91761  
909-947-1006 • 800-289-6241 • www.maglite.com • email: salesdesk@magmail.com

\* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this spec sheet goes to press. Consult product packaging/labeling for any updated performance figures.

The Maglite® XL200® 3-cell AAA LED flashlight is covered by U.S. Patent No. D643,561. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

