

SLC DL04 SQUARE X2 R83X2 BL TED 930 IP54 36°

14/01/2022

SLC1247

Product description

Square recessed luminaire in double version. Bright and with a colour rendering of CRI > 90. Low-lying LED for a pleasant light.

The DL04 Square X2 is a square, tiltable (25°) recessed luminaire in a double version
Contemporary design
Experience pleasant light with low glare and plenty of lumens
Suitable for outdoor use (IP54)
Driver included
Quick connect with loop-in / loop-out
CRI > 90 ensures vivid colours in any environment
16 mm cable tube



Technical data

Suitable for built-in mounting	Yes
Adjustability	Swivelling
With light source	Yes
Surface protection	Powder coating
Voltage type	AC/DC
LED nominal current at constant current	440 - 440 mA
Control gear included	Yes
Reflector	High-gloss
Light sharing	Symmetric
Light outlet	Direct


Suitable for ceiling mounting	Yes
Lamp type	LED not exchangeable
Material housing	Aluminium
Material cover	Plastic, transparent
Nominal voltage	220 - 240 V
Type of control gear	LED operating device current-controlled
Dimming phase cut-off	Yes
Light distributor	Reflector
Beam angle	Medium beam 21-40°
Rated life time L90/B10 at 25 °C	100000 h







Degree of protection (IP)	IP22
Rated ambient temperature according to IEC	-20 - 45 °C
Colour of light	White
Colour rendering index CRI	90-100
Lamp efficacy	60,5 lm/W
Height/depth	56,4 mm
Built-in width	183,5 mm
Built-in length	83 mm
Number of poles	2
Connectable conductor cross section	1,5 - 2,5 mm ²
Colour consistency (McAdam ellipse)	SDCM3
Beam angle (°)	36
Glare (UGR)	UGR<22
Dimming method	Trailing edge
Dimming range	1-100%
GTIN	7070938065658

Protection class	II
Max. system power	20 W
Colour temperature	3000 - K
Rated luminous flux according to IEC 62722-	1210 lm
Width	190 mm
Length	95 mm
Built-in height/depth	56 mm
Type of wiring	Suitable for through wiring
Conductor cross section	0,35 mm ²
Connection type	Plug clamp
Colour rendering index (CRI/Ra)	90
Tilt-able (°)	25
Cut-out hole (Ø: mm)	2x83
Dimmable	Yes
Brand	SLC
Produced by	The Light Group






 **ENERG** 


Scandinavian Lighting Concept
SLC1247


A 

B 

C 


D 

E 

F  

G 

17
kWh/1000h



2019/2015

