

FLOS

F1081009 White


Bellhop Glass S2

Designed by Edward Barber and Jay Osgerby, 2024



LED retrofit - 30W

Bellhop Glass Suspension can be used as an ambient light but also as a task light, which directly illuminates, with a non-blinding cone of light, the surface on which it is suspended. The hole in the bottom part of the lamp, protected by an aluminum element, is shaped to direct the light (and change the bulb) avoiding the diffusion up to the eyes of those sitting at the table. A cone of light is therefore created inside the suspended Bellhop Glass, which expands homogeneously in the environment on all sides and lands on the table precisely, like a torch, visually signaled by the colored aluminum ring that surrounds the lower opening of the lamp.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)


Main specifications

EAN	8059607068113
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E27
Ilcos	HSGSA
Power (W)	30
System power (W)	30

Physical

Colour	White
Orientation	Fixed
Length (mm)	450
Cord length (mm)	2700
Canopy colour	White
Canopy dimension (mm)	30
Canopy width (mm)	130
Net weight (kg)	7.2
Package volume (m3)	0.14
IP internal	20

Download


[Mounting instructions](#)  PDF

Photometric Files

[LDT / IES](#)  ZIP



Schematic light drawing



Beam Angle: - 60°

h(m)	E(lx)	D(m)
1	927	1.15
2	232	2.30
3	103	3.45
4	58	4.60
5	37	5.75


Photometric

Lighting type	Total
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF36503

LED 25W E27 3700lm 2700K

240° DIMMER