

Struttura in metallo,  
diffusore in vetro  
decorato.

Metal frame, decorated  
glass diffuser.

Metallstruktur, Diffusor  
aus dekoriertem Glas.

Structure en métal,  
diffuseur en verre coloré.

**МЕТАЛЛИЧЕСКИЙ  
КАРКАС, РАССЕИВАТЕЛЬ  
ИЗ ДЕКОРИРОВАННОГО  
СТЕКЛА.**

## Finishings



**G12** Oro spazzolato  
Brushed gold




**G18+V90**  
Ottone spazzolato + Nero opaco  
Brushed brass + Matt black

## Family

**Chandelier**



**Suspension**




**Applique**




**Floor lamp**




**Table lamp**



## Standard cables for all suspensions



**SOUND S1** 




**Ø** 30 cm / 11.81"  
**H** 60 cm / 23.62"  
 (with ROD B)\*

 1xG9x40 W max (not included)

**UP** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**DOWN** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**Dimmable:** PUSH + 1-10V

**SOUND OR6** 




**L** 120 cm / 47.24"  
**SP** 80 cm / 31.49"  
**H** 11 cm / 4.33"

 6xG9x40 W max (not included)

**UP** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**DOWN** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**Dimmable:** DALI + 1-10V + PUSH

**SOUND OR3** 




**L** 60 cm / 23.62"  
**SP** 56 cm / 22.04"  
**H** 11 cm / 4.33"

 3xG9x40 W max (not included)

**UP** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**DOWN** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**Dimmable:** PUSH + 1-10V

**SOUND S6** 




**Ø** 110 cm / 43.30"  
**H** 102 cm / 40.16"  
 (with ROD B)\*

 6xG9x40 W max (not included)

**UP** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**DOWN** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**Dimmable:** DALI + 1-10V + PUSH

**SOUND BIL3** 




**L** 134 cm / 52.75"  
**SP** 64 cm / 25.19"  
**H** 58 cm / 22.83" (with ROD B)\*

 3xG9x40 W max (not included)

**UP** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**DOWN** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**Dimmable:** PUSH + 1-10V

**SOUND BIL5** 




**L** 191 cm / 75.19"  
**SP** 64 cm / 25.19"  
**H** 58 cm / 22.83" (with ROD B)\*

 5xG9x40 W max (not included)

**UP** LED x 14,4 W CRI>90  
 3000 K - 2050 Nominal lm  
**DOWN** LED x 14,4 W CRI>90  
 3000 K - 2050 Nominal lm  
**Dimmable:** DALI + 1-10V + PUSH


**ACCESSORIES**

**ROD-SOUND S1\***




**A** 11 cm / 4.33"  
**B** 31 cm / 12.20"  
**C** 51 cm / 20.08"

**ROD-SOUND S6\***



**A** 30 cm / 11.81"  
**B** 50 cm / 19.68"  
**C** 70 cm / 27.55"

**ROD-SOUND BIL5\*- BIL3\***




**A** 30 cm / 11.81"  
**B** 50 cm / 19.68"  
**C** 70 cm / 27.55"

\*: It is possible to choose a specific height for fixed rod of items Sound S1, Sound S6, Sound BIL5, Sound BIL3. When not specified in the order confirmation, the standard height for the rod is "B".

È possibile scegliere un'altezza specifica per le aste rigide degli articoli Sound S1, Sound S6, Sound BIL5, Sound BIL3. Se non specificato in fase d'ordine, l'altezza dell'asta rigida standard è "B".

Ⓜ : for the US market, refer to the relevant price list.

**SOUND PL3**




**L** 60 cm / 23.62"  
**SP** 56 cm / 22.04"  
**H** 14 cm / 5.51"

3×G9×40 W max (not included)

**DOWN** LED x 9 W CRI>90  
 3000 K - 1275 Nominal lm  
**Dimmable:** PUSH + 1-10V

**SOUND PL1**




**Ø** 30 cm / 11.81"  
**H** 13 cm / 5.11"

1×G9×40 W max (not included)


**UP** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**DOWN** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**Dimmable:** PUSH + 1-10V

**SOUND A1**




<b>L</b>	30 cm / 11.81"
<b>SP</b>	45 cm / 17.72"
<b>H</b>	30 cm / 11.81"
1xG9x40 W max (not included)	
<b>UP</b>	LED x 3 W CRI>90 3000 K - 425 Nominal lm
<b>DOWN</b>	LED x 3 W CRI>90 3000 K - 425 Nominal lm
<b>Dimmable:</b> PUSH + 1-10V	

**SOUND TL1**



<b>L</b>	30 cm / 11.81"
<b>SP</b>	11 cm / 4.33"
<b>H</b>	30 cm / 11.81"
1xG9x40 W max (not included)	
LED x 6 W CRI>90 3000 K - 850 Nominal lm	
<b>Dimmable:</b> OWN BUTTON	


**SOUND STL5**



<b>L</b>	46 cm / 18.11"
<b>SP</b>	10 cm / 3.93"
<b>H</b>	225 cm / 88.58"
5xG9x40 W max (not included)	
LED x 28,8 W CRI>90 3000 K - 4100 Nominal lm	
<b>Dimmable:</b> OWN BUTTON	

**ACCESSORIES**

**FLOOR LAMP BASE**



<b>Ø</b>	40cm / 15.74"
<b>H</b>	1 cm / 0.39"

: for the US market, refer to the relevant price list.

Struttura in metallo,  
diffusore in vetro  
decorato.

Metal frame, decorated  
glass diffuser.

Metallstruktur, Diffusor  
aus dekoriertem Glas.

Structure en métal,  
diffuseur en verre coloré.

**МЕТАЛЛИЧЕСКИЙ  
КАРКАС, РАССЕЙВАТЕЛЬ  
ИЗ ДЕКОРИРОВАННОГО  
СТЕКЛА.**

### Finishings



**G12** Oro spazzolato  
Brushed gold




**G18+V90**  
Ottone spazzolato + Nero opaco  
Brushed brass + Matt black

### Family


**Chandelier**



**Suspension**




**Applique**




**Floor lamp**




**Table lamp**



### Standard cables for all suspensions



**SOUND S1 Suspension** 




**TECHNICAL INFORMATIONS**

Ø 30 cm / 11.81"  
 H 60 cm / 23.62"  
 (with ROD B)\*\*

**STD LIGHT:** 1×G9×40 W (not included)  
**LED LIGHT: UP** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**DOWN** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**Dimmable:** 0-10V


**SOUND S6 Chandelier** 




**TECHNICAL INFORMATIONS**

Ø 110 cm / 43.30"  
 H 102 cm / 40.16"  
 (with ROD B)\*\*

**STD LIGHT:** 6×G9×40 W (not included)  
**LED LIGHT: UP** LED xx 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**DOWN** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**Dimmable:** 0-10V

**SOUND BIL5 Suspension** 




**TECHNICAL INFORMATIONS**

L 191 cm / 75.19"  
 SP 64 cm / 25.19"  
 H 58 cm / 22.83"  
 (with ROD B)\*\*

**STD LIGHT:** 5×G9×40 W (not included)  
**LED LIGHT: UP** LED x 14,4 W CRI>90  
 3000 K - 2050 Nominal lm  
**DOWN** LED x 14,4 W CRI>90  
 3000 K - 2050 Nominal lm  
**Dimmable:** 0-10V

**SOUND BIL3 Suspension** 




**TECHNICAL INFORMATIONS**

L 134 cm / 52.75"  
 SP 64 cm / 25.19"  
 H 58 cm / 22.83"  
 (with ROD B)\*\*

**STD LIGHT:** 3×G9×40 W (not included)  
**LED LIGHT: UP** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**DOWN** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**Dimmable:** 0-10V

**SOUND OR6 Suspension** 




**TECHNICAL INFORMATIONS**

L 120 cm / 47.24"  
 SP 80 cm / 31.49"  
 H 11 cm / 4.33"

**STD LIGHT:** 6×G9×40 W (not included)  
**LED LIGHT: UP** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**DOWN** LED x 16,8 W CRI>90  
 3000 K - 2370 Nominal lm  
**Dimmable:** 0-10V

**SOUND OR3 Suspension** 




**TECHNICAL INFORMATIONS**

L 60 cm / 23.62"  
 SP 56 cm / 22.04"  
 H 11 cm / 4.33"

**STD LIGHT:** 3×G9×40 W (not included)  
**LED LIGHT: UP** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**DOWN** LED x 8,4 W CRI>90  
 3000 K - 1185 Nominal lm  
**Dimmable:** 0-10V


**ACCESSORIES**

**ROD-SOUND S1\*\***




A 11 cm / 4.33"  
 B 31 cm / 12.20"  
 C 51 cm / 20.08"

**ROD-SOUND S6\*\***



A 30 cm / 11.81"  
 B 50 cm / 19.68"  
 C 70 cm / 27.55"

**ROD-SOUND BIL5\*\*- BIL3\*\***



A 30 cm / 11.81"  
 B 50 cm / 19.68"  
 C 70 cm / 27.55"


\*\* : It is possible to choose a specific height for fixed rod of items Sound S1, Sound S6, Sound BIL5, Sound BIL3. When not specified in the order confirmation, the standard height for the rod is "B".  
 È possibile scegliere un'altezza specifica per le aste rigide degli articoli Sound S1, Sound S6, Sound BIL5, Sound BIL3. Se non specificato in fase d'ordine, l'altezza dell'asta rigida standard è "B".

 \* Only for Led lighting.

SOUND PL3

Ceiling

CE®\*




TECHNICAL INFORMATION

**L** 60 cm / 23.62"  
**SP** 56 cm / 22.04"  
**H** 14 cm / 5.51"  
**STD LIGHT:** 3×G9×40 W (not included)  
**LED LIGHT: DOWN** LED x 9 W CRI>90  
 3000 K- 1275 Nominal lm  
**Dimmable:** 0-10V

SOUND PL1

Ceiling

CE®\*



TECHNICAL INFORMATION


**Ø** 30 cm / 11.81"  
**H** 13 cm / 5.11"  
**STD LIGHT:** 1×G9×40 W (not included)  
**LED LIGHT: UP** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**DOWN** LED x 3 W CRI>90  
 3000 K- 425 Nominal lm  
**Dimmable:** 0-10V

®\* Only for Led lighting.

**SOUND A1**

**Applique**

CE<sup>\*</sup>



TECHNICAL INFORMATIONS

**L** 30 cm / 11.81"  
**SP** 45 cm / 17.72"  
**H** 30 cm / 11.81"


---

**STD LIGHT:** 1×G9×40 W (not included)  
**LED LIGHT: UP** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**DOWN** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**Dimmable:** 0-10V

**SOUND TL1**

**Table lamp**

CE



TECHNICAL INFORMATIONS

**L** 30 cm / 11.81"  
**SP** 11 cm / 4.33"  
**H** 30 cm / 11.81"


---

**STD LIGHT:** 1×G9×40 W (not included)  
**LED LIGHT:** LED x 6 W CRI>90  
 3000 K - 850 Nominal lm  
**Dimmable:** Own Button

**SOUND STL5**

**Floor lamp**

CE



TECHNICAL INFORMATIONS


**L** 46 cm / 18.11"  
**SP** 10 cm / 3.93"  
**H** 225 cm / 88.58"

---

**STD LIGHT:** 5×G9×40 W (not included)  
**LED LIGHT:** LED x 28,8 W CRI>90  
 3000 K - 4100 Nominal lm  
**Dimmable:** Own Button

**ACCESSORIES**

**FLOOR LAMP BASE**



**Ø** 40cm / 15.74"  
**H** 1 cm / 0.39"

CE<sup>\*</sup> Only for Led lighting.