




DRYLIGHT TL6

CE IP65  



TECHNICAL INFORMATIONS

Ø 68 cm / 26.77"
H 120 cm / 47.24"

WT EXTREME 13 kg / 28.66 lb
WT PREMIUM 14.5 kg / 31.96 lb

DRYLIGHT LED WHITE:
6 x LED: 18 W tot. 960 lm

DRYLIGHT LED RGB-W:
6 x LED: 24 W tot.

Tecnologia DRYLIGHT® con protezione IP65:
sicurezza totale in ogni condizione climatica.
Brevetto internazionale MASIERO.

DRYLIGHT® technology with IP65 protection level:
complete safety in any weather conditions.
International MASIERO's patent.

MATERIALI Materials

DRYLIGHT EXTREME
Pendagli in metacrilato Methacrylate pendants

DRYLIGHT PREMIUM
Pendagli in cristallo
Crystal pendants

(Versione Premium consigliata per uso interno)
(Premium version recommended for internal use only)


DRYLIGHT RGB - W - LED





DRYLIGHT TL6

CE IP65  



TECHNICAL INFORMATIONS

Ø 68 cm / 26.77"
H 120 cm / 47.24"

WT EXTREME 13 kg / 28.66 lb
WT PREMIUM 14.5 kg / 31.96 lb

DRYLIGHT LED WHITE:
 6 x LED: 18 W tot. 960 lm

DRYLIGHT LED RGB-W:
 6 x LED: 24 W tot.

Tecnologia DRYLIGHT® con protezione IP65:
sicurezza totale in ogni condizione climatica.
Brevetto internazionale MASIERO.

DRYLIGHT® technology with IP65 protection level:
 complete safety in any weather conditions.
 International MASIERO's patent.

MATERIALI Materials


DRYLIGHT EXTREME
Pendagli in metacrilato Methacrylate pendants

DRYLIGHT PREMIUM
Pendagli in cristallo
 Crystal pendants

(Versione Premium consigliata per uso interno)
 (Premium version recommended for internal use only)


DRYLIGHT RGB - W - LED





DRYLIGHT TL6 PORTABLE

CE IP65  



TECHNICAL INFORMATIONS

Ø 68 cm / 26.77"
H 120 cm / 47.24"

WT EXTREME 13 kg / 28.66 lb
WT PREMIUM 14.5 kg / 31.96 lb

DRYLIGHT LED WHITE:
6 x LED: 18 W tot. 960 lm

DRYLIGHT LED RGB-W:
6 x LED: 24 W tot.

Tecnologia DRYLIGHT® con protezione IP65: sicurezza totale in ogni condizione climatica. Brevetto internazionale MASIERO. Batteria: 10 ore di autonomia. Tempo di ricarica 5 ore.

DRYLIGHT® technology with IP65 protection level: complete safety in any weather conditions. International MASIERO's patent. Battery: 10 hours autonomy. 5 hours to recharge.

MATERIALI Materials

DRYLIGHT EXTREME

Pendagli in metacrilato Methacrylate pendants

DRYLIGHT PREMIUM

Pendagli in cristallo

Crystal pendants

(Versione Premium consigliata per uso interno)



(Premium version recommended for internal use only)


DRYLIGHT RGB - W - LED





DRYLIGHT TL6 PORTABLE

CE IP65  



TECHNICAL INFORMATIONS

Ø 68 cm / 26.77"
H 120 cm / 47.24"

WT EXTREME 13 kg / 28.66 lb
WT PREMIUM 14.5 kg / 31.96 lb

DRYLIGHT LED WHITE:
6 x LED: 18 W tot. 960 lm

DRYLIGHT LED RGB-W:
6 x LED: 24 W tot.

Tecnologia DRYLIGHT® con protezione IP65: sicurezza totale in ogni condizione climatica. Brevetto internazionale MASIERO. Batteria: 10 ore di autonomia. Tempo di ricarica 5 ore.

DRYLIGHT® technology with IP65 protection level: complete safety in any weather conditions. International MASIERO's patent. Battery: 10 hours autonomy. 5 hours to recharge.

MATERIALI Materials

DRYLIGHT EXTREME
Pendagli in metacrilato Methacrylate pendants

DRYLIGHT PREMIUM
Pendagli in cristallo
Crystal pendants
(Versione Premium consigliata per uso interno)
(Premium version recommended for internal use only)

DRYLIGHT RGB - W - LED

