

IN THE WIND PENDANT HORIZONTAL

Arihiro Miyake

Pendelleuchte mit warmer und diffuser LED-Beleuchtung. Die Struktur wird mit einem von NEMO entwickelten Twist Off-Axis-Verfahren des fließgepressten Aluminiums realisiert (zum Patent angemeldet). Dies erlaubt eine 360° LED-Beleuchtung. Die Kopfteile sind aus Aluminiumdruckguß. Die Diffusoren sind aus opalweißem Methacrylat. Die Struktur ist matt weiß, matt schwarz, titangrau oder goldfarben lackiert.



LED 2700K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimnable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	2850lm (source luminous flux)
Typ cri	85
Energy class	A+
Materials	aluminium + PC
Notes	metal cable length 3m, electric cable lenght 5m, also available in 120V
Net lamp weight	4 kg

Codes

ITW LWW 56
ITW LNW 56
ITW LGW 56
ITW LDW 56

Structure/Diffuser


white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01

Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimnable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2850lm (source luminous flux)
Typ cri	85
Energy class	A+
Materials	aluminium + PC
Notes	metal cable length 3m, electric cable lenght 5m, also available in 120V
Net lamp weight	4 kg

Codes

ITW LWW 57
ITW LNW 57
ITW LGW 57
ITW LDW 57

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01

Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni

