


MONUMENTAL. SCULPTURAL. SOPHISTICATED.

A slender base hugs a bulbous form. An industrial motif softened by the gentle curves of handblown glass. The oda series of table and floor lights reference the stilted forms of silos, furnaces and water towers of a bygone age. A warm glow brings this industrially charged aesthetic into a softer interior setting.



COLOURS & ART.NR

shade	amber black	aubergine black	white + light blue galvanized	cosmo chocolate
base	black	black	galvanized	black
small	3060AB	3060AUBB	3060WBLGAL	3060COCHOB
medium	3030AB	3030AUBB	3030WBLGAL	3030COCHOB
in between	3040AB	3040AUBB	3040WBLGAL	3040COCHOB
big	3050AB	3050AUBB	3050WBLGAL	3050COCHOB

shade	smoky grey black	smoky grey acetato black	steel grey black
base	black	black	black
small	3060GB	3060GACB	3060SGB
medium	3030GB	3030GACB	3030SGB
in between	3040GB	3040GACB	3040SGB
big	3050GB	3050GACB	3050SGB

shade	white black	white white	white galvanized
base	black	white	galvanized
small	3060WB	3060WW	3060WGAL
medium	3030WB	3030WW	3030WGAL
in between	3040WB	3040WW	3040WGAL
big	3050WB	3050WW	3050WGAL

shade	moonlight white black	moonlight white white	moonlight white galvanized
base	black	white	galvanized
small	3060MLB	3060MLW	3060MLWGAL
medium	3030MLB	3030MLW	3030MLWGAL
in between	3040MLB	3040MLW	3040MLWGAL
big	3050MLB	3050MLW	3050MLWGAL

YEAR OF DESIGN
2014

MATERIAL
Handblown glass, colored and steel

DIMENSIONS (mm)
small: Ø240 × 450H
medium: Ø450 × 850H
in between: Ø450 × 1112H
big: Ø240 × 1400H

PRODUCT CHARACTERISTICS
The Oda is a masterwork of traditional craftsmanship. Each lamp is handmade and has characteristic features such as irregularities in glass thickness, colour variations, small bubbles or bumps in the glass or the base.

ASSEMBLY REQUIRED
Yes.

ODA SMALL
TABLE LIGHT

600 L × 450 W × 1850 H

BASE
steel, half-round tube Ø 8 mm, powder coated, chrome plated

SHADE
handblown glass, coloured

CABLE
textile, 4000 mm, on/off, non-dimmable hand switch and Euro plug

DIMENSIONS (mm)
Ø 240 × 450 H

LIGHT SOURCE

Bulb: LED filament
Bulb fitting: E14
Dimensions (mm): Ø 39 × 103 H
Power consumption: 1 Watt
Voltage (V): 220–240; 50/60 Hz
Lifetime: 30 000 h
Radiation angle: 360°
Colour temperature: 2500 K
Lumen: 105 lm
Finish: warm white

UL Version
LED Filament fully dimmable
2.5W/120V
E12, 2200 K

ODA MEDIUM
FLOOR LIGHT

1100 L × 450 W × 820 H

BASE
steel, half-round tube Ø16 mm, powder coated, chrome plated

SHADE
handblown glass, coloured

CABLE
textile, 4000 mm, on/off, non-dimmable foot switch and Euro plug

DIMENSIONS (mm)
Ø 450 × 850 H

LIGHT SOURCE

Bulb: LED filament dimmable
Bulb fitting: E27
Dimensions (mm): Ø 64 × 142 H
Power consumption: 4 Watt
Voltage (V): 220–240; 50/60 Hz
Lifetime: 30 000 h
Radiation angle: 360°
Colour temperature: 2700 K
Lumen: 400 lm
Finish: warm white

UL Version
LED Filament fully dimmable,
8.5W/120V,
fully dimmable E26, 2700 K

ODA IN BETWEEN
FLOOR LIGHT

600 L × 450 W × 1850 H

BASE
steel, half-round tube Ø16 mm, powder coated, chrome plated

SHADE
handblown glass, coloured

CABLE
textile, 4000 mm, on/off, non-dimmable foot switch and Euro plug

DIMENSIONS (mm)
Ø 450 × 1112 H

LIGHT SOURCE

Bulb: LED filament dimmable
Bulb fitting: E27
Dimensions (mm): Ø 64 × 142 H
Power consumption: 4 Watt
Voltage (V): 220–240; 50/60 Hz
Lifetime: 30 000 h
Radiation angle: 360°
Colour temperature: 2700 K
Lumen: 400 lm
Finish: warm white

UL Version
LED Filament fully dimmable
8.5W/120V
fully dimmable E26, 2700 K

ODA BIG
FLOOR LIGHT

1100 L × 450 W × 820 H

BASE
steel, half-round tube Ø16 mm, powder coated, chrome plated or brass

SHADE
handblown glass, coloured

CABLE
textile, 4000 mm, on/off, non-dimmable foot switch and Euro plug

DIMENSIONS (mm)
Ø 450 × 1400 H

LIGHT SOURCE

Bulb: LED filament dimmable
Bulb fitting: E27
Dimensions (mm): Ø 64 × 142 H
Power consumption: 4 Watt
Voltage (V): 220–240; 50/60 Hz
Lifetime: 30 000 h
Radiation angle: 360°
Colour temperature: 2700 K
Lumen: 400 lm
Finish: warm white

UL Version
LED Filament fully dimmable
8.5W/120V
fully dimmable E26, 2700 K

CARE INSTRUCTIONS

Regular cleaning and maintenance is important in order to keep your pulpo product looking its best and to prolong its life. Always remove any kind of dirt as soon as possible. We recommend that you first test a small, invisible area to ensure that no colour change or damage arises to the product. Do not use materials for maintenance that contain abrasive agents or are basic, acid or organic.

METAL CLEANING

STEEL POWDER COATED, STEEL CHROME PLATED
For dusting and light cleaning of the base, use a soft and dry cloth. For further cleaning, gently wipe the surface with a soft cloth wrung in clean water and a neutral detergent or soap flakes of good quality. Dry immediately afterwards with a soft, dry and clean cloth. For the best maintenance of the product, care for it regularly, protect it against direct sunlight and heat, and try to keep it away from moisture, grease, and other dirt. Furthermore, protect the surfaces against sharp objects and other that might scratch. Please note that brass may develop a patina over time. The darkening of the surface is due to oxidation. If left untreated, the surface will eventually turn entirely darker.

GLASS CLEANING

For dusting and light cleaning of glass use a soft, dry cloth. For further cleaning gently wipe the surface with a soft cloth wrung in clean water and a non-abrasive commercial glass cleaner. Dry immediately afterwards with a soft, dry and clean cloth. Please note that bubbles, streaks and other variations in size and colour are part of the production process, and not defects of the design or production of handmade glass.