

## Luminaire

Code KUSHI 33 TABLE  
Name KUSHI 33 TABLE

## Measurement


Code 0003FT20-T-LAMP  
Name KUSHI 33 TABLE

Luminaire Flux	1301.00 lm	Luminaire Power	13.50 W	Efficacy	96.37 lm/W	Efficiency	85.54%
Sources Flux	1521.00 lm	Maximum value	77.32 cd/klm	Position	C=0.00 G=57.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area	Diam. Diam.	330 mm 330 mm	Height Height	320 mm 250 mm			
Horizontal Luminous Area	0.085530 m2		Emitting area on Plane 180°	0.082500 m2			
Emitting area on Plane 0°	0.082500 m2		Emitting area on Plane 270°	0.082500 m2			
Emitting area on Plane 90°	0.082500 m2		Glare area at 76°	0.100741 m2			
Coordinate system	CG		Symmetry Type	Rotosymmetrical			
Date	01-05-2020		Maximum Gamma Angle	180			
Measurement Distance	0.00		Measurement Flux	1521.00 lm			

## Luminaire Sources

Line	Flux [lm]	Pow. [W]	Q.ty
PHILIPS E27 LED SOURCE - 13,5W - Nominal Lumen 1521lm - 2700K - CRI80	1521.00	13.50	1
C.I.E.	24 50 76 55 86	D DIN 5040	C11
F UTE	0.47 J + 0.38 T	B NBN	BZ 8

Diam=330mm



C Halfplanes

180.0 — 0.0

ULOR 38.46 %

DLOR 47.07 %

RN 44.97 %

