



SLC Power Supply CV 24V 200W PWM Trailing Edge IP67

14/01/2022

S32099



Product description

200W power supply with built-in PWM dimmer. Dimmed with phase-cut/section. Mono. IP67 for outdoor use. Available from May 2021.

200W power supply with built-in PWM dimmer. Dimmed with phase-cut / section. Mono. Overload protection, short circuit and overheating. For 24V LED strips and other products with 24V operating voltage. Can be installed outside.

Technical data

Model	Static	Suitable for outdoor use	Yes
Dimming phase cut-off	Yes	Housing	Metal housing
Suitable for constant voltage	Yes	Output voltage	24 - 24 V
Output current	2700 - 8300 mA	Output power	200 - 200 W
Degree of protection (IP)	IP67	Protection class	I
Length	249 mm	Width	72 mm
Height	40 mm	Output type	Constant voltage (CV)
Number of LED Output Channels	1	Output power per channel (W)	-
Mono	Yes	Input voltage (V)	220 - 240
Frequency range (Hz)	50 - 60	Power factor	0,95
Inrush Current (A)	65	Operating temperature	-20°C ~ +45°C
Expected lifetime (Hours) (Ta 45°C)	50000	Tc (°C)	80
Dimming method	Pulse Width Modulation (PWM)	Dimming interface	Trailing edge
Dimming range	1-100%	Brand	SLC
Produced by	The Light Group		



