

FLOS


09.8405.MR Lacquered Brow

Gustave Residential NEW

Designed by Vincent Van Duysen, 2022



Gustave is a portable, self-powered luminaire, specially designed for tabletop lighting applications and other related uses as supplementary lighting. Gustave's compact size encloses a perfect mix of the most innovative optical and light technology and a disruptive engineering, developed in the service of a discretionary purpose of Flos for this project: to create the first portable luminaire on the market with circular design awareness, ecological and honestly conceived against obsolescence. Portable luminaire with autonomous battery, designed for residential applications. Powered by 'Button Type 18650 Li-Ion' batteries (2 units, included inside the product). USB-C charging cable (plug adapter not included). 0-100% sequential regulation by means of capacitive haptic push button.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

| | |
|------------------|-----------------------------|
| Mounting | Table |
| Environment | Indoor Outdoor wet location |
| LED type | Top LED |
| Lamp category | LED |
| Number of heads | 1 |
| Power (W) | 2.5 |
| System power (W) | 2.5 |
| Source flux (lm) | 221 |
| System flux (lm) | 159 |
| Efficacy (lm/W) | 69 |

Physical

| | |
|---------------------|----------------|
| Colour | Lacquered Brow |
| Length (mm) | 155 |
| Cord colour | Black |
| Cord length (mm) | 1200 |
| Net weight (kg) | 0.78 |
| Package height (cm) | 36 |
| Package width (cm) | 21 |
| Package length (cm) | 21 |
| Package volume (m3) | 0.02 |
| IP | 54 |

Download

[Mounting instructions](#) PDF

Photometric Files

[LDT / IES](#) ZIP

Technical Drawings

[2D](#) ZIP

[3D](#) ZIP



<https://professional.flos.com/en/global/product/gustave-residential-09.8405.mr/>


09.8405.MR

©2022 Flos - P.IVA 00290820174 - 11/4/2022

professional.flos.com | info@flos.com 1/3

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order to improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Schematic light drawing



Photometric

| | |
|------------------------|----------------|
| Lighting type | Direct |
| Light distribution | Roto symmetric |
| CCT (K) | 2700 |
| CRI> | 90 |
| McAdam steps (SDCM) | 3 |
| Rf fidelity index | 93 |
| Rg gamut index | 100 |
| Beam angle C0-180 (°) | 144 |
| Beam angle C90-270 (°) | 144 |

Electrical

| | |
|----------------------------|-------------------|
| Insulation class | III |
| Main voltage (Vac) | 4 |
| LED voltage Vf (Vdc) | 5Vdc |
| LED current (mA) | 180 |
| Dimmable | Yes |
| Dimming type | Dimmable |
| Dimming interface | Dimmer Integrated |
| Cord length (mm) | 1200 |
| Plug type | Type A |
| Batteries inside | Yes |
| Battery type | LI-IO |
| Charging cycles guaranteed | 500 |
| Charging max power | 1 A |
| Charging min time | 5.5 |
| Charging socket/connector | USB-C |


Ecodesign and Energy

Labelling

This product contains a light source of energy efficiency class G



Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

Notes

Product Battery autonomy: 100% - 6 hours / 50% - 10 hours / 25% - 18 hours. Batteries included. USB-A / USB-C Cable included. Adapter 5V, min 2A not included.

Spare Parts



Electrical

08.0744.00

Pack 2x Battery for Gustave
Residential



Cable

08.0761.14

CABLE for GUSTAVE
RESIDENTIAL USB-A/USB-C



Cable

08.0761.30

CABLE for GUSTAVE
RESIDENTIAL USB-A/USB-C