



PRODUCT SHEET

Column Table Lamp, Portable
by Norm Architects

Powered by battery for the ultimate in freedom and flexibility, the striking mushroom shape of the Column Table Lamp, Portable illuminates spaces indoors and out with its inviting glow, adjustable to three settings. The cordless design charges via a concealed magnetic connector and cable. It features a USB charger at the base, for standard sockets as well as MENU's Charging Board, which reanimates multiple devices in a single sitting. To preserve battery life, switch the lamp off when charging and do not leave plugged in while in use.

PRODUCT OPTIONS



Bronze
1181869

TECHNICAL SPECIFICATIONS

PRODUCT TYPE
Table lamp

COLLI
2

ENVIRONMENT
Indoor

DIMENSIONS
H: 17,5 cm / 6,9"
Ø: 12 cm / 4,7"

COLOUR
Bronzed brass

PRODUCTION PROCESS
Deep drawn aluminium.

MATERIALS
Anodized aluminium, LED, ABS

WEIGHT
0,6 kg / 1,3 lb

VOLTAGE
CE: 220-230 V (Plug: 5 V)
US: 110-130 V (Plug: 5 V)

LIGHT SOURCE & ENERGY EFFICIENCY CLASS
G4 - 1pc
Max 1,5 Watt

LIGHT SPECIFICATION
1,5 W
150 lm
2700 K
RA > 80
Energy class: F

BATTERY
3,7 V 3000 mAh
Charging time: approx. 6,5 h
Discharging, 100%: approx. 7 h
Discharging, 50%: approx. 13 h
Discharging, 25%: approx. 18 h

DIMMER
Yes, 3 step dimmer. Dimmer knob on bottom of base.

CANOPY
N / A

CORD MATERIAL AND COLOUR
PVC, black (magnetic charging cord).

CORD LENGTH
80 cm / 31,5"

CLASSIFICATION
IP44, Class III


CERTIFICATIONS
CE and ETL certified, tests can be obtained upon request.

PACKAGING TYPE
Brown gift box


PACKAGING MEASUREMENTS (H x W x D)
23,5 cm x 17,5 cm x 17,5 cm / 10" x 6,9" x 6,9"

MATERIALS & MAINTENANCE
Please visit menuspace.com for materials and care and maintenance instructions.

LUMINOUS INTENSITY DISTRIBUTION (UNIT: CD)



TECHNICAL DRAWING





Column Table Lamp, Portable, Aluminium

BY NORM ARCHITECTS

Powered by battery for the ultimate in freedom and flexibility, the striking mushroom shape of the Column Table Lamp, Portable illuminates spaces indoors and out with its inviting glow, adjustable to three settings. The cordless design charges via a concealed magnetic connector and USB cable. The cable charges with a standard USB charger plug. Comes without charger plug. To preserve battery life, switch the lamp off when charging and do not leave plugged in while in use.

PRODUCT OPTIONS



Aluminium
1881039Y



Column Table Lamp, Portable, Aluminium

BY NORM ARCHITECTS

TECHNICAL SPECIFICATIONS

PRODUCT TYPE
Table lamp

COLLI
2

ENVIRONMENT
Indoor

DIMENSIONS
H: 17,5 cm / 6,9"
Ø: 12 cm / 4,7"

COLOUR
Brushed aluminium

PRODUCTION PROCESS
Deep drawn aluminium.

MATERIALS
Anodized aluminium, LED, ABS

WEIGHT
0,6 kg / 1,3 lb

VOLTAGE
CE: 220-230 V (Plug: 5 V)
US: 110-130 V (Plug: 5 V)

LIGHT SOURCE & ENERGY EFFICIENCY CLASS
G4 - 1pc
Max 1,5 Watt

LIGHT SPECIFICATION
Bulb is included

1,5 W
150 lm
2700 K
RA > 80
Energy class: F

BATTERY
3,7 V 3000 mAh
Charging time: approx. 6,5 h
Discharging, 100%: approx. 7 h
Discharging, 50%: approx. 13 h
Discharging, 25%: approx. 18 h

DIMMER
Yes, 3 step dimmer. Dimmer knob on bottom of base.

CANOPY
N / A

CORD MATERIAL AND COLOUR
USB cord with magnetic connector.

CORD LENGTH
80 cm / 31,5"


CLASSIFICATION
IP44, Class III

CERTIFICATIONS
CE and ETL certified, tests can be obtained upon request.

PACKAGING TYPE
Brown gift box

PACKAGING MEASUREMENTS (H x W x D)
23,5 cm x 17,5 cm x 17,5 cm / 10" x 6,9" x 6,9"

MATERIALS & MAINTENANCE
Please visit menuspace.com for materials and care and maintenance instructions.



Ø: 12 cm / 4,7"