

Luminaire


Code 0395030A
Name LOGICO MINI PARETE GRIGIO

Measurerm.

Code FTS0002511
Name LOGICO MINI PARETE GRIGIO

Luminaire Flux	575.27 lm	Luminaire Power	52.00 W	Efficacy	11.06 lm/W	Efficiency	70.15%
Lamps Flux	820.00 lm	Maximum value	131.33 cd/klm	Position	C=0.00 G=85.00	CG	Asymmetrical
Rectangular Luminaire		Length	220 mm	Width	103 mm	Height	253 mm
Rectangular Luminous Area		Length	220 mm	Width	103 mm	Height	252 mm
Horizontal Luminous Area		0.022660 m2		Emitting area on Plane 180°		0.055660 m2	
Emitting area on Plane 0°		0.055660 m2		Emitting area on Plane 270°		0.026059 m2	
Emitting area on Plane 90°		0.026059 m2		Glare area at 76°		0.059489 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		24-09-2007		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		820.00 lm	
52W HSGSA E27							
C.I.E.	30 54 77 59 70			D DIN 5040	C11		
F UTE	0.41 J + 0.29 T			B NBN	BZ 7		


220mm x 103mm



Semipiani C

180.0 ——— 0.0
270.0 - - - - - 90.0

ULOR 28.73 %
DLOR 41.42 %
RN 40.95 %



Luminaire

Code 0395030A
Name LOGICO MINI PARETE GRIGIO

Measur.

Code FTS0002511
Name LOGICO MINI PARETE GRIGIO

Luminaire Flux	575.27 lm	Luminaire Power	52.00 W	Efficacy	11.06 lm/W	Efficiency	70.15%
Lamps Flux	820.00 lm	Maximum value	131.33 cd/klm	Position	C=0.00 G=85.00	CG	Asymmetrical
Rectangular Luminaire		Length	220 mm	Width	103 mm	Height	253 mm
Rectangular Luminous Area		Length	220 mm	Width	103 mm	Height	252 mm
Horizontal Luminous Area		0.022660 m2		Emitting area on Plane 180°		0.055660 m2	
Emitting area on Plane 0°		0.055660 m2		Emitting area on Plane 270°		0.026059 m2	
Emitting area on Plane 90°		0.026059 m2		Glare area at 76°		0.059489 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		24-09-2007		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		820.00 lm	
52W HSGSA E27							
C.I.E.	30 54 77 59 70			D DIN 5040	C11		
F UTE	0.41 J + 0.29 T			B NBN	BZ 7		

Apertura a destra non trovata, gamma =83

Apertura a destra non trovata, gamma =83

Apertura a destra non trovata, gamma =83

Luminaire

Code 0395030A
Name LOGICO MINI PARETE GRIGIO

Measurement

Code FTS0002511
Name LOGICO MINI PARETE GRIGIO

Luminaire Flux	575.27 lm	Luminaire Power	52.00 W	Efficacy	11.06 lm/W	Efficiency	70.15%
Lamps Flux	820.00 lm	Maximum value	131.33 cd/klm	Position	C=0.00 G=85.00	CG	Asymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	< 0	< 0	< 0	< 0	13.2	10.4	11.4	11.2	12.2	13.2
x=2H y=3H	< 0	< 0	< 0	< 0	16.0	13.2	14.2	14.1	15.0	16.0
x=2H y=4H	< 0	< 0	< 0	< 0	17.6	14.7	15.6	15.6	16.5	17.6
x=2H y=6H	< 0	< 0	< 0	< 0	19.0	16.2	17.0	17.1	17.9	19.0
x=2H y=8H	< 0	< 0	< 0	< 0	19.8	17.0	17.8	17.8	18.6	19.8
x=2H y=12H	< 0	< 0	< 0	< 0	20.5	17.7	18.5	18.6	19.4	20.5
x=4H y=2H	< 0	< 0	< 0	0.3	14.0	11.2	12.0	12.0	12.9	14.0
x=4H y=3H	< 0	< 0	< 0	0.5	16.9	14.1	14.9	15.0	15.8	16.9
x=4H y=4H	< 0	< 0	< 0	0.5	18.4	15.7	16.4	16.6	17.3	18.4
x=4H y=6H	< 0	< 0	< 0	0.5	20.0	17.3	17.9	18.2	18.9	20.0
x=4H y=8H	< 0	< 0	< 0	0.5	20.8	18.2	18.7	19.1	19.7	20.8
x=4H y=12H	< 0	< 0	< 0	0.4	21.6	19.0	19.5	19.9	20.5	21.6
x=8H y=4H	1.3	1.8	2.2	2.8	18.9	16.2	16.8	17.1	17.7	18.9
x=8H y=6H	1.4	1.8	2.3	2.8	20.6	18.0	18.5	18.9	19.4	20.6
x=8H y=8H	1.4	1.8	2.3	2.8	21.6	18.9	19.4	19.9	20.3	21.6
x=8H y=12H	1.4	1.7	2.3	2.7	22.5	19.9	20.3	20.9	21.3	22.5
x=12H y=4H	2.2	2.8	3.2	3.7	18.9	16.3	16.8	17.2	17.7	18.9
x=12H y=6H	2.5	3.0	3.5	3.9	20.8	18.2	18.6	19.1	19.6	20.8
x=12H y=8H	2.6	3.0	3.5	3.9	21.8	19.2	19.6	20.1	20.5	21.8